

Switzerland

Statistics of Cancer Incidence

1985 - 2009

*Foundation National Institute for Cancer
Epidemiology and Registration (NICER)*

Anita Feller
Matthias Lorez

*Swiss Federal Statistical Office (FSO)
Causes of death register
Cancer epidemiology*

Christoph Junker
Elodie Roy
Natascha Wyss

*Registration of data
Basle-City & -Land
Fribourg
Geneva
Graubünden & Glarus
St.Gallen & Appenzell
Ticino
Valais
Vaud, Neuchatel & Jura
Zurich*

Gernot Jundt
Bertrand Camey
Christine Bouchardy
Harald Frick
Silvia Ess
Andrea Bordoni
Isabelle Konzelmann
Fabio Levi
Silvia Dehler

Coordinates

www.nicer.org
www.bfs.admin.ch

Statistics of cancer incidence and mortality - data and methods

The following section describes the data sources and methods used to prepare annual cancer incidence and mortality reports for Switzerland. Please note that Statistics of cancer incidence and mortality is distributed in different documents. The cancer mortality statistics can be downloaded at http://www.nicer.org/Editor/files/cancer_mortality.pdf

Data sources

- The registration of cancers in Switzerland is organised at the cantonal level by the cancer registries (RCT). These data are collected and aggregated at the National Institute for Cancer Epidemiology and Registration (NICER). The data currently available online match those provided by 11 cancer registries, covering 15 cantons. This coverage is almost complete for French and Italian-speaking Switzerland, but there are gaps in some major German-speaking regions.
- The Cause of Death Statistics (CD) of the Federal Statistical Office records, for its part, all deaths of persons resident in Switzerland, particularly those caused by cancer.

Registration of new cancer cases in Switzerland

Share of the population covered by a cantonal cancer registry.

	German-speaking Switzerland	French- and Italian- speaking Switzerland	Total Switzerland
1985 - 1989	43.8 %	60.8 %	48.6 %
1990 - 1994	46.6 %	70.8 %	53.6 %
1995 - 1999	46.7 %	82.5 %	57.0 %
2000 - 2004	46.7 %	85.3 %	57.9 %
2005 - 2009	45.2 %	97.7 %	60.7 %

Estimation of incidence

The average incidence rate is calculated in each language region (German-speaking Switzerland and French- and Italian-speaking Switzerland) by pooling cases from the relevant registries and their populations. This rate is determined separately by five-year age group, sex and cancer site. It is applied to the entire region assuming homogeneity of data between the geographical areas that are covered and those that are not covered. The Swiss estimate published by the Federal Statistical Office and NICER corresponds to the sum of estimated cases for each language region.

Data quality

The published trends may on the one hand have been affected by the gradual introduction of the registers and, on the other, by more difficult access to data due to insufficient legal regulation of cancer registration. For example, incidence data for the cantons of Valais and Graubünden were first collected during the 1985-1989 period, data for the canton of Glarus for the first time during the 1990-1994 period, for the canton of Ticino between 1995 and 1999, and for the cantons of Jura and Fribourg during the last period between 2005 and 2009. At the time when the statistical analysis was carried out, the data from the cancer registry of the cantons of Basel-Stadt and Basel-Landschaft were not available for the year 2009. Moreover, the legal bases for cancer registration differ from one canton to another, which may in some cases result in limited access to the data. In particular, there are indications of under-registration in parts of German-speaking Switzerland for the years 2007 - 2009 (see Jahresbericht 2011, Krebsregister der Kantone Zürich und Zug, Annual Report 2011, Cancer Registry of the cantons of Zurich and Zug)*. Nevertheless, the data included from all cancer registries still meet the quality criteria of the IARC (International Agency for Research on Cancer)**. The combination of all available data helps to improve the representativeness of the results over time; the comparability of the periods is of secondary importance.

*Jahresbericht 2011, Krebsregister der Kantone Zürich und Zug.

**Cancer incidence in five continents, Vol IX. Lyon: IARC/WHO, 2007. IARC/WHO Scientific Publications No. 160.

Number of new cases


ICD10	Male	Site	New cases by period					Total	Yearly average				
			1985 -	1990 -	1995 -	2000 -	2005 -		1985 -	1990 -	1995 -	2000 -	2005 -
			1989	1994	1999	2004	2009		1989	1994	1999	2004	2009
C00-14	Oral Cavity & Pharynx		3'083	3'264	3'329	3'325	3'689	16'690	617	653	666	665	738
C15	Oesophagus		1'197	1'359	1'495	1'783	1'871	7'705	239	272	299	357	374
C16	Stomach		3'277	3'007	2'941	2'599	2'370	14'195	655	601	588	520	474
C17	Small Intestine		339	317	363	420	399	1'838	68	63	73	84	80
C18-20	Colon, Rectum		8'385	9'004	9'614	10'647	11'355	49'004	1677	1801	1923	2129	2271
C21	Anus & Anal Canal		164	172	151	216	259	962	33	34	30	43	52
C22	Liver & Intrahepatic Bile Ducts		1'567	1'633	1'934	2'337	2'392	9'863	313	327	387	467	478
C23-24	Gallbladder & Extrahepatic Bile Tract		533	538	529	569	733	2'902	107	108	106	114	147
C25	Pancreas		2'045	2'028	2'162	2'342	2'518	11'095	409	406	432	468	504
C32	Larynx		1'181	1'087	1'169	1'215	1'162	5'814	236	217	234	243	232
C33-34	Lung, Bronchus, Trachea		12'780	12'059	11'978	12'121	12'300	61'238	2556	2412	2396	2424	2460
C38.4, C45.0	Pleura		315	398	557	610	757	2'637	63	80	111	122	151
C40-41	Bones, Joints, Cartilage		223	189	185	223	194	1'014	45	38	37	45	39
C43	Skin Melanoma		2'130	2'772	3'380	4'212	5'264	17'758	426	554	676	842	1053
C47, C49	Soft Tissues		449	436	548	525	502	2'460	90	87	110	105	100
C50	Breast		117	140	173	153	191	775	23	28	35	31	38
C53	Cervix Uteri		-	-	-	-	-	-	-	-	-	-	-
C54-55	Corpus Uteri & NOS		-	-	-	-	-	-	-	-	-	-	-
C56	Ovary		-	-	-	-	-	-	-	-	-	-	-
C61	Prostate		14'540	17'515	21'936	27'595	29'501	111'087	2908	3503	4387	5519	5900
C62	Testis		1'626	1'805	1'768	1'877	1'974	9'051	325	361	354	375	395
C64	Kidney		1'995	2'159	2'182	2'383	2'588	11'307	399	432	436	477	518
C67	Bladder		4'211	4'573	4'401	4'088	4'426	21'698	842	915	880	818	885
C65-66, C68	Other Urinary Organs		439	414	402	470	465	2'190	88	83	80	94	93
C69	Eye		158	190	153	171	194	866	32	38	31	34	39
C70-72	Brain & Central Nerves		1'250	1'241	1'439	1'473	1'586	6'990	250	248	288	295	317
C73	Thyroid		431	456	460	540	743	2'629	86	91	92	108	149
C81	Hodgkin's Disease		557	533	535	612	667	2'903	111	107	107	122	133
C82-85, C96	Non Hodgkin Lymphoma		2'557	3'025	3'273	3'381	3'899	16'135	511	605	655	676	780
C90	Multiple Myeloma		820	990	1'071	1'207	1'402	5'490	164	198	214	241	280
C91-95	Leukaemia		2'205	2'203	2'331	2'545	2'647	11'932	441	441	466	509	529
C91	Lymphoid Leukaemia		1'219	1'165	1'266	1'409	1'456	6'515	244	233	253	282	291
C92-94	Myeloid Leukaemia		918	990	1'013	1'054	1'121	5'095	184	198	203	211	224
Others	Other sites		3'143	3'507	3'533	3'745	3'971	17'899	629	701	707	749	794
C00-43, C45-97	All Cancers except non-melanotic Skin		71'715	77'015	83'991	93'385	100'022	426'127	14343	15403	16798	18677	20004

ICD10	Female	Site	New cases by period					Total	Yearly average				
			1985 -	1990 -	1995 -	2000 -	2005 -		1985 -	1990 -	1995 -	2000 -	2005 -
			1989	1994	1999	2004	2009		1989	1994	1999	2004	2009
C00-14	Oral Cavity & Pharynx		864	1'134	1'247	1'354	1'561	6'160	173	227	249	271	312
C15	Oesophagus		388	476	529	590	657	2'640	78	95	106	118	131
C16	Stomach		2'256	2'078	1'849	1'628	1'532	9'343	451	416	370	326	306
C17	Small Intestine		253	255	255	347	302	1'412	51	51	51	69	60
C18-20	Colon, Rectum		7'586	7'909	8'416	8'936	9'045	41'892	1517	1582	1683	1787	1809
C21	Anus & Anal Canal		373	380	455	500	611	2'319	75	76	91	100	122
C22	Liver & Intrahepatic Bile Ducts		497	522	646	772	777	3'213	99	104	129	154	155
C23-24	Gallbladder & Extrahepatic Bile Tract		1'032	1'051	937	958	931	4'908	206	210	187	192	186
C25	Pancreas		2'157	2'047	2'205	2'449	2'753	11'611	431	409	441	490	551
C32	Larynx		130	156	188	200	158	831	26	31	38	40	32
C33-34	Lung, Bronchus, Trachea		2'970	3'868	4'382	5'496	6'899	23'614	594	774	876	1099	1380
C38.4, C45.0	Pleura		51	70	96	95	127	438	10	14	19	19	25
C40-41	Bones, Joints, Cartilage		131	192	133	166	132	753	26	38	27	33	26
C43	Skin Melanoma		2'673	2'935	3'594	4'369	5'037	18'608	535	587	719	874	1007
C47, C49	Soft Tissues		447	423	463	458	442	2'234	89	85	93	92	88
C50	Breast		18'514	20'001	23'009	26'086	26'942	114'551	3703	4000	4602	5217	5388
C53	Cervix Uteri		1'921	1'797	1'705	1'429	1'212	8'065	384	359	341	286	242
C54-55	Corpus Uteri & NOS		4'026	3'914	4'285	4'435	4'400	21'059	805	783	857	887	880
C56	Ovary		2'947	2'939	3'020	2'856	2'919	14'681	589	588	604	571	584
C61	Prostate		-	-	-	-	-	-	-	-	-	-	-
C62	Testis		-	-	-	-	-	-	-	-	-	-	-
C64	Kidney		1'219	1'218	1'235	1'191	1'372	6'236	244	244	247	238	274
C67	Bladder		1'371	1'626	1'480	1'413	1'444	7'334	274	325	296	283	289
C65-66, C68	Other Urinary Organs		344	326	303	287	275	1'534	69	65	61	57	55
C69	Eye		185	165	156	136	136	778	37	33	31	27	27
C70-72	Brain & Central Nerves		965	957	1'008	1'087	1'292	5'309	193	191	202	217	258
C73	Thyroid		1'059	1'146	1'368	1'544	2'027	7'143	212	229	274	309	405
C81	Hodgkin's Disease		385	415	416	473	510	2'200	77	83	83	95	102
C82-85, C96	Non Hodgkin Lymphoma		2'242	2'570	2'954	3'013	3'439	14'219	448	514	591	603	688
C90	Multiple Myeloma		816	928	985	1'107	1'092	4'928	163	186	197	221	218
C91-95	Leukaemia		1'638	1'593	1'697	1'971	1'987	8'886	328	319	339	394	397
C91	Lymphoid Leukaemia		811	754	823	1'010	1'011	4'409	162	151	165	202	202
C92-94	Myeloid Leukaemia		783	782	817	901	916	4'199	157	156	163	180	183
Others	Other sites		3'183	3'439	3'898	4'160	4'553	19'232	637	688	780	832	911
C00-43, C45-97	All Cancers except non-melanotic Skin		62'621	66'529	72'913	79'506	84'563	366'133	12524	13306	14583	15901	16913

Percentage distribution by site, in %


<i>Male</i>		1985 -	1990 -	1995 -	2000 -	2005 -
ICD10	Site	1989	1994	1999	2004	2009
C00-14	Oral Cavity & Pharynx	4.3	4.2	4.0	3.6	3.7
C15	Oesophagus	1.7	1.8	1.8	1.9	1.9
C16	Stomach	4.6	3.9	3.5	2.8	2.4
C17	Small Intestine	0.5	0.4	0.4	0.4	0.4
C18-20	Colon, Rectum	11.7	11.7	11.4	11.4	11.4
C21	Anus & Anal Canal	0.2	0.2	0.2	0.2	0.3
C22	Liver & Intrahepatic Bile Ducts	2.2	2.1	2.3	2.5	2.4
C23-24	Gallbladder & Extrahepatic Bile Tract	0.7	0.7	0.6	0.6	0.7
C25	Pancreas	2.9	2.6	2.6	2.5	2.5
C32	Larynx	1.6	1.4	1.4	1.3	1.2
C33-34	Lung, Bronchus, Trachea	17.8	15.7	14.3	13.0	12.3
C38.4, C45.0	Pleura	0.4	0.5	0.7	0.7	0.8
C40-41	Bones, Joints, Cartilage	0.3	0.2	0.2	0.2	0.2
C43	Skin Melanoma	3.0	3.6	4.0	4.5	5.3
C47, C49	Soft Tissues	0.6	0.6	0.7	0.6	0.5
C50	Breast	0.2	0.2	0.2	0.2	0.2
C53	Cervix Uteri	-	-	-	-	-
C54-55	Corpus Uteri & NOS	-	-	-	-	-
C56	Ovary	-	-	-	-	-
C61	Prostate	20.3	22.7	26.1	29.5	29.5
C62	Testis	2.3	2.3	2.1	2.0	2.0
C64	Kidney	2.8	2.8	2.6	2.6	2.6
C67	Bladder	5.9	5.9	5.2	4.4	4.4
C65-66, C68	Other Urinary Organs	0.6	0.5	0.5	0.5	0.5
C69	Eye	0.2	0.2	0.2	0.2	0.2
C70-72	Brain & Central Nerves	1.7	1.6	1.7	1.6	1.6
C73	Thyroid	0.6	0.6	0.5	0.6	0.7
C81	Hodgkin's Disease	0.8	0.7	0.6	0.7	0.7
C82-85, C96	Non Hodgkin Lymphoma	3.6	3.9	3.9	3.6	3.9
C90	Multiple Myeloma	1.1	1.3	1.3	1.3	1.4
C91-95	Leukaemia	3.1	2.9	2.8	2.7	2.6
C91	Lymphoid Leukaemia	1.7	1.5	1.5	1.5	1.5
C92-94	Myeloid Leukaemia	1.3	1.3	1.2	1.1	1.1
Others	Other sites	4.4	4.6	4.2	4.0	4.0
C00-43, C45-97	All Cancers except non-melanotic Skin	100.0	100.0	100.0	100.0	100.0

Percentage distribution, male, last period




<i>Female</i>		1985 -	1990 -	1995 -	2000 -	2005 -
ICD10	Site	1989	1994	1999	2004	2009
C00-14	Oral Cavity & Pharynx	1.4	1.7	1.7	1.7	1.8
C15	Oesophagus	0.6	0.7	0.7	0.7	0.8
C16	Stomach	3.6	3.1	2.5	2.0	1.8
C17	Small Intestine	0.4	0.4	0.3	0.4	0.4
C18-20	Colon, Rectum	12.1	11.9	11.5	11.2	10.7
C21	Anus & Anal Canal	0.6	0.6	0.6	0.6	0.7
C22	Liver & Intrahepatic Bile Ducts	0.8	0.8	0.9	1.0	0.9
C23-24	Gallbladder & Extrahepatic Bile Tract	1.6	1.6	1.3	1.2	1.1
C25	Pancreas	3.4	3.1	3.0	3.1	3.3
C32	Larynx	0.2	0.2	0.3	0.3	0.2
C33-34	Lung, Bronchus, Trachea	4.7	5.8	6.0	6.9	8.2
C38.4, C45.0	Pleura	0.1	0.1	0.1	0.1	0.2
C40-41	Bones, Joints, Cartilage	0.2	0.3	0.2	0.2	0.2
C43	Skin Melanoma	4.3	4.4	4.9	5.5	6.0
C47, C49	Soft Tissues	0.7	0.6	0.6	0.6	0.5
C50	Breast	29.6	30.1	31.6	32.8	31.9
C53	Cervix Uteri	3.1	2.7	2.3	1.8	1.4
C54-55	Corpus Uteri & NOS	6.4	5.9	5.9	5.6	5.2
C56	Ovary	4.7	4.4	4.1	3.6	3.5
C61	Prostate	-	-	-	-	-
C62	Testis	-	-	-	-	-
C64	Kidney	1.9	1.8	1.7	1.5	1.6
C67	Bladder	2.2	2.4	2.0	1.8	1.7
C65-66, C68	Other Urinary Organs	0.5	0.5	0.4	0.4	0.3
C69	Eye	0.3	0.2	0.2	0.2	0.2
C70-72	Brain & Central Nerves	1.5	1.4	1.4	1.4	1.5
C73	Thyroid	1.7	1.7	1.9	1.9	2.4
C81	Hodgkin's Disease	0.6	0.6	0.6	0.6	0.6
C82-85, C96	Non Hodgkin Lymphoma	3.6	3.9	4.1	3.8	4.1
C90	Multiple Myeloma	1.3	1.4	1.4	1.4	1.3
C91-95	Leukaemia	2.6	2.4	2.3	2.5	2.3
C91	Lymphoid Leukaemia	1.3	1.1	1.1	1.3	1.2
C92-94	Myeloid Leukaemia	1.3	1.2	1.1	1.1	1.1
Others	Other sites	5.1	5.2	5.3	5.2	5.4
C00-43, C45-97	All Cancers except non-melanotic Skin	100.0	100.0	100.0	100.0	100.0

Percentage distribution, female, last period




Age standardized rates, european population, per 100'000

ICD10	Male	Site	ASR		[CI 95%]	
			2000 -	2005 -	of	
			2004	2009	last period	
C00-14		Oral Cavity & Pharynx	17.2	17.1	15.0	19.0
C15		Oesophagus	9.0	8.3	7.0	9.7
C16		Stomach	12.6	10.4	9.0	12.1
C17		Small Intestine	2.1	1.8	1.1	2.4
C18-20		Colon, Rectum	51.8	49.4	45.8	52.4
C21		Anus & Anal Canal	1.1	1.2	0.7	1.8
C22		Liver & Intrahepatic Bile Ducts	11.6	10.7	9.1	12.3
C23-24		Gallbladder & Extrahepatic Bile Tract	2.7	3.1	2.4	4.0
C25		Pancreas	11.3	10.9	9.5	12.5
C32		Larynx	6.2	5.3	4.1	6.3
C33-34		Lung, Bronchus, Trachea	59.8	54.4	50.8	57.8
C38.4, C45.0		Pleura	3.1	3.2	2.4	4.0
C40-41		Bones, Joints, Cartilage	1.2	1.0	0.5	1.5
C43		Skin Melanoma	21.2	23.8	21.7	26.4
C47, C49		Soft Tissues	2.7	2.3	1.6	3.1
C50		Breast	0.7	0.8	0.4	1.3
C53		Cervix Uteri	-	-	-	-
C54-55		Corpus Uteri & NOS	-	-	-	-
C56		Ovary	-	-	-	-
C61		Prostate	135.3	130.3	124.8	135.4
C62		Testis	9.9	10.2	8.6	11.8
C64		Kidney	11.9	11.6	9.9	13.2
C67		Bladder	19.6	18.7	16.6	20.6
C65-66, C68		Other Urinary Organs	2.2	2.0	1.3	2.6
C69		Eye	0.9	0.9	0.5	1.4
C70-72		Brain & Central Nerves	7.7	7.6	6.3	9.0
C73		Thyroid	2.8	3.5	2.7	4.5
C81		Hodgkin's Disease	3.3	3.4	2.5	4.4
C82-85, C96		Non Hodgkin Lymphoma	16.8	17.6	15.5	19.5
C90		Multiple Myeloma	5.9	6.1	5.1	7.4
C91-95		Leukaemia	12.9	12.3	10.6	14.0
C91		Lymphoid Leukaemia	7.3	6.8	5.5	8.1
C92-94		Myeloid Leukaemia	5.2	5.1	4.1	6.2
Others		Other sites	18.2	17.3	15.3	19.2
C00-43, C45-97		All Cancers except non-melanotic Skin	461.5	445.4	434.5	454.3




ICD10	Female	Site	ASR		[CI 95%]	
			2000 -	2005 -	of	
			2004	2009	last period	
C00-14		Oral Cavity & Pharynx	5.9	6.4	5.2	7.5
C15		Oesophagus	2.2	2.4	1.7	3.1
C16		Stomach	5.7	5.0	4.0	6.0
C17		Small Intestine	1.4	1.1	0.7	1.6
C18-20		Colon, Rectum	32.2	30.6	28.1	32.9
C21		Anus & Anal Canal	2.1	2.4	1.7	3.1
C22		Liver & Intrahepatic Bile Ducts	2.8	2.8	2.1	3.6
C23-24		Gallbladder & Extrahepatic Bile Tract	3.2	3.0	2.3	3.7
C25		Pancreas	8.5	8.8	7.7	10.1
C32		Larynx	0.9	0.6	0.3	1.1
C33-34		Lung, Bronchus, Trachea	22.9	26.7	24.4	29.1
C38.4, C45.0		Pleura	0.3	0.4	0.2	0.7
C40-41		Bones, Joints, Cartilage	0.9	0.7	0.3	1.2
C43		Skin Melanoma	19.8	21.1	19.0	23.3
C47, C49		Soft Tissues	2.0	1.9	1.2	2.6
C50		Breast	115.1	109.9	104.8	114.5
C53		Cervix Uteri	6.4	5.3	4.3	6.4
C54-55		Corpus Uteri & NOS	18.5	16.8	14.9	18.6
C56		Ovary	12.0	11.3	9.7	12.8
C61		Prostate	-	-	-	-
C62		Testis	-	-	-	-
C64		Kidney	4.7	5.0	4.1	6.1
C67		Bladder	4.7	4.5	3.6	5.4
C65-66, C68		Other Urinary Organs	1.0	0.8	0.4	1.2
C69		Eye	0.6	0.6	0.2	0.9
C70-72		Brain & Central Nerves	4.9	5.7	4.6	6.9
C73		Thyroid	7.3	9.3	7.7	10.7
C81		Hodgkin's Disease	2.5	2.6	1.8	3.5
C82-85, C96		Non Hodgkin Lymphoma	11.8	12.6	11.0	14.2
C90		Multiple Myeloma	4.0	3.7	2.9	4.6
C91-95		Leukaemia	7.7	7.7	6.4	9.0
C91		Lymphoid Leukaemia	3.9	4.0	3.0	5.0
C92-94		Myeloid Leukaemia	3.6	3.5	2.7	4.5
Others		Other sites	15.0	15.1	13.3	16.6
C00-43, C45-97		All Cancers except non-melanotic Skin	326.9	324.6	315.9	332.2




Age standardized rates, world population, per 100'000

ICD10	Male	Site	ASR		[CI 95%]	
			2000 - 2004	2005 - 2009	of last period	
C00-14	Oral Cavity & Pharynx		12.3	12.2	10.7	13.6
C15	Oesophagus		6.2	5.6	4.7	6.7
C16	Stomach		8.4	7.0	6.1	8.2
C17	Small Intestine		1.4	1.2	0.8	1.7
C18-20	Colon, Rectum		34.4	32.8	30.3	34.8
C21	Anus & Anal Canal		0.8	0.9	0.5	1.3
C22	Liver & Intrahepatic Bile Ducts		8.0	7.4	6.2	8.5
C23-24	Gallbladder & Extrahepatic Bile Tract		1.8	2.0	1.5	2.6
C25	Pancreas		7.4	7.2	6.2	8.4
C32	Larynx		4.4	3.7	2.8	4.4
C33-34	Lung, Bronchus, Trachea		40.3	36.7	34.2	39.0
C38.4, C45.0	Pleura		2.1	2.1	1.6	2.7
C40-41	Bones, Joints, Cartilage		1.1	0.9	0.4	1.5
C43	Skin Melanoma		15.6	17.2	15.6	19.1
C47, C49	Soft Tissues		2.1	1.8	1.2	2.5
C50	Breast		0.5	0.6	0.3	0.9
C53	Cervix Uteri		-	-	-	-
C54-55	Corpus Uteri & NOS		-	-	-	-
C56	Ovary		-	-	-	-
C61	Prostate		89.8	87.8	84.0	91.3
C62	Testis		9.2	9.5	8.0	11.1
C64	Kidney		8.4	8.1	6.9	9.3
C67	Bladder		12.6	12.0	10.6	13.3
C65-66, C68	Other Urinary Organs		1.5	1.3	0.8	1.7
C69	Eye		0.7	0.7	0.3	1.2
C70-72	Brain & Central Nerves		6.2	6.1	5.0	7.3
C73	Thyroid		2.1	2.8	2.1	3.6
C81	Hodgkin's Disease		3.1	3.1	2.3	4.0
C82-85, C96	Non Hodgkin Lymphoma		12.1	12.6	11.0	14.0
C90	Multiple Myeloma		3.9	4.0	3.3	4.9
C91-95	Leukaemia		10.0	9.4	8.0	10.9
C91	Lymphoid Leukaemia		5.7	5.4	4.2	6.5
C92-94	Myeloid Leukaemia		3.9	3.8	3.0	4.8
Others	Other sites		12.4	11.9	10.4	13.3
C00-43, C45-97	All Cancers except non-melanotic Skin		318.8	308.8	300.9	315.3




ICD10	Female	Site	ASR		[CI 95%]	
			2000 - 2004	2005 - 2009	of last period	
C00-14	Oral Cavity & Pharynx		4.2	4.6	3.7	5.5
C15	Oesophagus		1.5	1.6	1.2	2.1
C16	Stomach		3.8	3.4	2.6	4.0
C17	Small Intestine		0.9	0.8	0.5	1.2
C18-20	Colon, Rectum		21.6	20.5	18.8	22.2
C21	Anus & Anal Canal		1.5	1.7	1.2	2.2
C22	Liver & Intrahepatic Bile Ducts		1.9	1.9	1.4	2.5
C23-24	Gallbladder & Extrahepatic Bile Tract		2.1	1.9	1.4	2.5
C25	Pancreas		5.5	5.8	5.0	6.7
C32	Larynx		0.6	0.5	0.2	0.8
C33-34	Lung, Bronchus, Trachea		16.1	18.7	17.1	20.4
C38.4, C45.0	Pleura		0.2	0.3	0.1	0.5
C40-41	Bones, Joints, Cartilage		0.9	0.7	0.3	1.3
C43	Skin Melanoma		15.7	16.4	14.7	18.2
C47, C49	Soft Tissues		1.5	1.6	0.9	2.2
C50	Breast		83.9	80.3	76.5	83.8
C53	Cervix Uteri		5.0	4.1	3.3	5.1
C54-55	Corpus Uteri & NOS		13.0	11.7	10.4	13.0
C56	Ovary		8.6	8.0	6.9	9.1
C61	Prostate		-	-	-	-
C62	Testis		-	-	-	-
C64	Kidney		3.3	3.7	2.9	4.6
C67	Bladder		3.0	2.9	2.3	3.6
C65-66, C68	Other Urinary Organs		0.6	0.5	0.3	0.8
C69	Eye		0.5	0.4	0.1	0.8
C70-72	Brain & Central Nerves		3.9	4.6	3.6	5.7
C73	Thyroid		5.9	7.5	6.2	8.7
C81	Hodgkin's Disease		2.4	2.6	1.7	3.5
C82-85, C96	Non Hodgkin Lymphoma		8.5	9.1	7.8	10.3
C90	Multiple Myeloma		2.7	2.5	1.9	3.1
C91-95	Leukaemia		6.1	6.1	4.9	7.4
C91	Lymphoid Leukaemia		3.1	3.3	2.3	4.3
C92-94	Myeloid Leukaemia		2.7	2.7	2.0	3.4
Others	Other sites		10.5	10.3	9.0	11.5
C00-43, C45-97	All Cancers except non-melanotic Skin		236.2	234.9	228.2	240.8




Risk (cumulated rate) before ages 60, 65, 70, 75, 80 (in %, last period)

ICD10	Male	Site	Age				
			60	65	70	75	80
C00-14	Oral Cavity & Pharynx		0.57	0.89	1.18	1.50	1.81
C15	Oesophagus		0.16	0.32	0.50	0.69	0.95
C16	Stomach		0.22	0.34	0.56	0.83	1.15
C17	Small Intestine		0.05	0.07	0.10	0.14	0.20
C18-20	Colon, Rectum		0.83	1.51	2.54	3.94	5.77
C21	Anus & Anal Canal		0.04	0.06	0.08	0.10	0.12
C22	Liver & Intrahepatic Bile Ducts		0.22	0.38	0.63	0.94	1.27
C23-24	Gallbladder & Extrahepatic Bile Tract		0.05	0.09	0.14	0.23	0.36
C25	Pancreas		0.17	0.35	0.57	0.85	1.24
C32	Larynx		0.14	0.24	0.35	0.48	0.56
C33-34	Lung, Bronchus, Trachea		1.03	1.86	3.08	4.66	6.47
C38.4, C45.0	Pleura		0.04	0.10	0.17	0.26	0.39
C40-41	Bones, Joints, Cartilage		0.05	0.05	0.06	0.07	0.08
C43	Skin Melanoma		0.74	1.01	1.41	1.93	2.49
C47, C49	Soft Tissues		0.09	0.11	0.15	0.18	0.23
C50	Breast		0.02	0.03	0.05	0.07	0.09
C53	Cervix Uteri		-	-	-	-	-
C54-55	Corpus Uteri & NOS		-	-	-	-	-
C56	Ovary		-	-	-	-	-
C61	Prostate		1.56	3.99	7.62	11.92	15.85
C62	Testis		0.70	0.72	0.73	0.74	0.75
C64	Kidney		0.28	0.45	0.70	0.98	1.31
C67	Bladder		0.23	0.45	0.84	1.39	2.15
C65-66, C68	Other Urinary Organs		0.02	0.05	0.08	0.14	0.25
C69	Eye		0.03	0.04	0.06	0.07	0.09
C70-72	Brain & Central Nerves		0.31	0.39	0.52	0.64	0.75
C73	Thyroid		0.16	0.21	0.25	0.29	0.33
C81	Hodgkin's Disease		0.20	0.22	0.24	0.26	0.28
C82-85, C96	Non Hodgkin Lymphoma		0.51	0.71	1.00	1.36	1.83
C90	Multiple Myeloma		0.13	0.19	0.30	0.47	0.70
C91-95	Leukaemia		0.35	0.49	0.67	0.93	1.24
C91	Lymphoid Leukaemia		0.19	0.27	0.39	0.53	0.69
C92-94	Myeloid Leukaemia		0.15	0.21	0.27	0.38	0.53
Others	Other sites		0.36	0.56	0.83	1.26	1.84
C00-43, C45-97	All Cancers except non-melanotic Skin		9.26	15.88	25.41	37.33	50.55




ICD10	Female	Site	Age				
			60	65	70	75	80
C00-14	Oral Cavity & Pharynx		0.23	0.34	0.44	0.55	0.65
C15	Oesophagus		0.06	0.10	0.15	0.21	0.26
C16	Stomach		0.12	0.17	0.25	0.37	0.52
C17	Small Intestine		0.02	0.04	0.07	0.10	0.13
C18-20	Colon, Rectum		0.70	1.06	1.61	2.36	3.35
C21	Anus & Anal Canal		0.08	0.11	0.16	0.20	0.24
C22	Liver & Intrahepatic Bile Ducts		0.06	0.10	0.15	0.23	0.33
C23-24	Gallbladder & Extrahepatic Bile Tract		0.05	0.08	0.14	0.24	0.35
C25	Pancreas		0.14	0.26	0.44	0.68	1.00
C32	Larynx		0.02	0.03	0.05	0.06	0.07
C33-34	Lung, Bronchus, Trachea		0.71	1.15	1.75	2.38	3.04
C38.4, C45.0	Pleura		0.01	0.01	0.02	0.04	0.05
C40-41	Bones, Joints, Cartilage		0.04	0.04	0.05	0.05	0.06
C43	Skin Melanoma		0.94	1.15	1.42	1.71	1.97
C47, C49	Soft Tissues		0.09	0.10	0.12	0.14	0.17
C50	Breast		4.15	5.75	7.57	9.32	11.02
C53	Cervix Uteri		0.28	0.32	0.36	0.40	0.45
C54-55	Corpus Uteri & NOS		0.47	0.75	1.09	1.48	1.86
C56	Ovary		0.35	0.51	0.71	0.96	1.22
C61	Prostate		-	-	-	-	-
C62	Testis		-	-	-	-	-
C64	Kidney		0.13	0.19	0.27	0.41	0.55
C67	Bladder		0.08	0.14	0.21	0.33	0.50
C65-66, C68	Other Urinary Organs		0.01	0.02	0.03	0.06	0.10
C69	Eye		0.02	0.03	0.03	0.05	0.06
C70-72	Brain & Central Nerves		0.24	0.31	0.39	0.47	0.56
C73	Thyroid		0.51	0.58	0.67	0.73	0.80
C81	Hodgkin's Disease		0.16	0.17	0.18	0.19	0.21
C82-85, C96	Non Hodgkin Lymphoma		0.35	0.53	0.75	1.01	1.35
C90	Multiple Myeloma		0.07	0.11	0.19	0.30	0.44
C91-95	Leukaemia		0.26	0.33	0.44	0.60	0.80
C91	Lymphoid Leukaemia		0.13	0.16	0.22	0.31	0.43
C92-94	Myeloid Leukaemia		0.13	0.17	0.21	0.28	0.36
Others	Other sites		0.35	0.51	0.78	1.11	1.59
C00-43, C45-97	All Cancers except non-melanotic Skin		10.69	15.00	20.48	26.72	33.67



Percentage distribution by site and group of ages (in %, last period)


ICD10	Male Site	Age				Total
		0-19	20-49	50-69	70+	
C00-14	Oral Cavity & Pharynx	1.39	5.11	4.93	2.25	3.69
C15	Oesophagus	0.00	1.09	2.14	1.78	1.87
C16	Stomach	0.00	2.72	2.17	2.53	2.37
C17	Small Intestine	0.00	0.56	0.41	0.36	0.40
C18-20	Colon, Rectum	0.62	7.35	10.48	13.11	11.35
C21	Anus & Anal Canal	0.00	0.51	0.30	0.17	0.26
C22	Liver & Intrahepatic Bile Ducts	1.60	1.46	2.63	2.35	2.39
C23-24	Gallbladder & Extrahepatic Bile Tract	0.00	0.45	0.58	0.94	0.73
C25	Pancreas	0.00	1.48	2.39	2.88	2.52
C32	Larynx	0.15	0.93	1.51	0.88	1.16
C33-34	Lung, Bronchus, Trachea	0.15	6.69	13.16	12.70	12.30
C38.4, C45.0	Pleura	0.00	0.18	0.73	0.91	0.76
C40-41	Bones, Joints, Cartilage	6.54	0.73	0.10	0.09	0.19
C43	Skin Melanoma	3.68	13.42	4.61	4.38	5.26
C47, C49	Soft Tissues	3.22	1.46	0.44	0.34	0.50
C50	Breast	0.00	0.20	0.19	0.20	0.19
C53	Cervix Uteri	-	-	-	-	-
C54-55	Corpus Uteri & NOS	-	-	-	-	-
C56	Ovary	-	-	-	-	-
C61	Prostate	0.34	3.44	33.22	31.24	29.49
C62	Testis	11.45	18.77	0.50	0.09	1.97
C64	Kidney	2.89	2.89	2.75	2.37	2.59
C67	Bladder	0.15	1.51	3.55	5.89	4.42
C65-66, C68	Other Urinary Organs	0.00	0.17	0.36	0.63	0.46
C69	Eye	2.26	0.23	0.20	0.15	0.19
C70-72	Brain & Central Nerves	13.14	4.44	1.62	0.84	1.59
C73	Thyroid	0.98	3.59	0.66	0.29	0.74
C81	Hodgkin's Disease	6.96	4.30	0.37	0.17	0.67
C82-85, C96	Non Hodgkin Lymphoma	9.93	6.89	3.55	3.59	3.90
C90	Multiple Myeloma	0.00	1.08	1.26	1.62	1.40
C91-95	Leukaemia	25.84	3.94	2.13	2.56	2.65
C91	Lymphoid Leukaemia	18.44	1.60	1.26	1.37	1.46
C92-94	Myeloid Leukaemia	6.25	2.28	0.84	1.10	1.12
Others	Other sites	8.70	4.39	3.07	4.69	3.97
C00-43, C45-97	All Cancers except non-melanotic Skin	100.00	100.00	100.00	100.00	100.00

Percentage by site and age, in %, male




ICD10	Female Site	Age				Total
		0-19	20-49	50-69	70+	
C00-14	Oral Cavity & Pharynx	1.69	1.68	2.32	1.47	1.85
C15	Oesophagus	0.00	0.22	0.88	0.90	0.78
C16	Stomach	0.00	1.15	1.25	2.59	1.81
C17	Small Intestine	0.39	0.22	0.35	0.41	0.36
C18-20	Colon, Rectum	0.91	4.88	8.79	14.72	10.70
C21	Anus & Anal Canal	0.00	0.70	0.82	0.65	0.72
C22	Liver & Intrahepatic Bile Ducts	1.10	0.38	0.83	1.19	0.92
C23-24	Gallbladder & Extrahepatic Bile Tract	0.37	0.22	0.79	1.72	1.10
C25	Pancreas	0.39	0.77	2.49	4.92	3.26
C32	Larynx	0.00	0.11	0.27	0.14	0.19
C33-34	Lung, Bronchus, Trachea	0.76	3.73	10.05	8.15	8.16
C38.4, C45.0	Pleura	0.00	0.05	0.13	0.21	0.15
C40-41	Bones, Joints, Cartilage	7.97	0.25	0.08	0.07	0.16
C43	Skin Melanoma	7.38	12.44	5.24	4.23	5.96
C47, C49	Soft Tissues	5.18	0.89	0.39	0.44	0.52
C50	Breast	0.39	41.53	36.89	24.22	31.86
C53	Cervix Uteri	0.35	4.08	1.17	0.73	1.43
C54-55	Corpus Uteri & NOS	0.00	2.48	6.26	5.31	5.20
C56	Ovary	2.79	2.58	3.75	3.51	3.45
C61	Prostate	-	-	-	-	-
C62	Testis	-	-	-	-	-
C64	Kidney	6.47	0.88	1.35	2.07	1.62
C67	Bladder	0.00	0.31	1.25	2.66	1.71
C65-66, C68	Other Urinary Organs	0.00	0.02	0.19	0.57	0.32
C69	Eye	1.26	0.12	0.15	0.17	0.16
C70-72	Brain & Central Nerves	11.06	2.20	1.64	1.02	1.53
C73	Thyroid	3.87	7.17	2.11	0.90	2.40
C81	Hodgkin's Disease	13.61	2.10	0.23	0.19	0.60
C82-85, C96	Non Hodgkin Lymphoma	7.71	3.21	3.65	4.70	4.07
C90	Multiple Myeloma	0.00	0.48	1.08	1.81	1.29
C91-95	Leukaemia	21.45	1.99	1.78	2.70	2.35
C91	Lymphoid Leukaemia	16.95	0.55	0.91	1.45	1.20
C92-94	Myeloid Leukaemia	3.74	1.43	0.86	1.12	1.08
Others	Other sites	4.91	3.18	3.84	7.61	5.38
C00-43, C45-97	All Cancers except non-melanotic Skin	100.00	100.00	100.00	100.00	100.00

Percentage by site and age, in %, female



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	8'402	27'934	35'379	71'715	14'343
	1990 - 1994	9'548	30'202	37'265	77'015	15'403
	1995 - 1999	9'300	34'048	40'643	83'991	16'798
	2000 - 2004	9'198	40'482	43'705	93'385	18'677
	2005 - 2009	9'368	44'581	46'073	100'022	20'004
Female	1985 - 1989	10'128	23'374	29'119	62'621	12'524
	1990 - 1994	11'331	25'080	30'118	66'529	13'306
	1995 - 1999	12'162	28'515	32'236	72'913	14'583
	2000 - 2004	12'884	31'830	34'792	79'506	15'901
	2005 - 2009	14'005	33'775	36'784	84'563	16'913
Total	Total (3 last periods)	66'917	213'231	234'233	514'380	34'292



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	17.87	103.17	877.27	2814.95
	1990 - 1994	18.32	110.50 **	895.51 **	2803.25
	1995 - 1999	17.98	107.39 **	923.44 **	2831.44
	2000 - 2004	18.46	105.46 **	1008.19 **	2764.45 **
	2005 - 2009	16.24	105.76	1014.08	2607.06 **
Female	1985 - 1989	12.56	131.98	663.84	1408.50
	1990 - 1994	15.08	137.73	682.74 **	1374.85 **
	1995 - 1999	13.88	147.39 **	730.46 **	1374.29
	2000 - 2004	13.96	155.25	763.34 **	1387.90
	2005 - 2009	14.89	164.52	751.18 **	1378.36
Male	Annual trend		0.998	1.009	0.992
Female	Annual trend		1.011	1.003	1.000
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	431.46	435.29	444.66	420.74	449.17
	1990 - 1994	434.56	439.22	450.49	426.54	451.55
	1995 - 1999	440.97	449.35	470.22	437.91	460.84
	2000 - 2004	450.19	461.53	489.77	450.56	472.59
	2005 - 2009	433.97	445.01	472.69	434.46	454.35
Female	1985 - 1989	297.03	298.57	302.28	287.63	308.97
	1990 - 1994	296.67	302.20	315.72	292.53	311.71
	1995 - 1999	310.57	316.97	332.56	307.77	325.73
	2000 - 2004	315.72	326.87	353.75	318.17	335.70
	2005 - 2009	314.61	324.47	348.21	315.89	332.23
Male	Annual trend	0.998	0.999	1.001		
Female	Annual trend	1.001	1.002	1.005		
(3 last periods)						
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	M	M	F	F
	2000-04	2005-09	2000-04	2005-09
0-	21.6	23.4	16.6	17.3
5-	13.9	9.7	9.1	9.9
10-	13.7	10.9	10.1	11.6
15-	25.1	21.1	20.3	20.3
20-	46.7	40.5	36.9	30.7
25-	55.3	58.1	52.4	51.1
30-	70.5	71.5	87.9	91.2
35-	89.7	89.3	133.1	143.0
40-	130.0	125.6	231.7	229.3
45-	227.1	219.0	362.2	378.4
50-	438.5	424.2	498.1	488.7
55-	816.9	758.3	705.9	666.3
60-	1292.8	1325.1	897.2	862.5
65-	1907.7	1904.8	1073.9	1096.1
70-	2506.2	2383.8	1211.0	1248.2
75-	2842.8	2645.2	1374.6	1389.8
80-	2992.6	2875.7	1526.2	1521.4
85+	3014.4	2750.0	1536.9	1400.9
Crude rate	524.6	538.5	427.0	438.4



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	589	1'710	785	3'083	617
	1990 - 1994	649	1'826	789	3'264	653
	1995 - 1999	578	1'977	775	3'329	666
	2000 - 2004	516	1'997	811	3'325	665
	2005 - 2009	454	2'200	1'036	3'689	738
Female	1985 - 1989	131	381	353	864	173
	1990 - 1994	214	506	413	1'134	227
	1995 - 1999	249	560	438	1'247	249
	2000 - 2004	192	689	473	1'354	271
	2005 - 2009	235	783	542	1'561	312
Total	Total (3 last periods)	2'224	8'206	4'075	14'505	967



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.28	7.76	53.69	62.47
	1990 - 1994	0.09	8.11	54.13	59.38
	1995 - 1999	0.00	7.27 *	53.61	53.98
	2000 - 2004	0.30	6.31 **	49.74 *	51.30
	2005 - 2009	0.23	5.41 **	50.04	58.60 **
Female	1985 - 1989	0.17	1.70	10.81	17.05
	1990 - 1994	0.22	2.64 **	13.78 **	18.87
	1995 - 1999	0.17	3.08	14.34	18.68
	2000 - 2004	0.12	2.36 **	16.53 *	18.88
	2005 - 2009	0.25	2.76	17.42	20.32
Male	Annual trend		0.971	0.993	1.008
Female	Annual trend		0.989	1.020	1.008
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	15.77	19.67	29.51	16.37	23.11
	1990 - 1994	16.25	19.54	27.73	16.71	22.48
	1995 - 1999	15.86	18.68	25.72	16.26	21.25
	2000 - 2004	14.88	17.16	22.86	14.95	19.44
	2005 - 2009	15.01	17.08	22.26	14.98	19.03
Female	1985 - 1989	3.87	4.28	5.29	2.90	5.66
	1990 - 1994	4.83	5.54	7.28	4.15	6.99
	1995 - 1999	5.43	5.79	6.66	4.57	7.11
	2000 - 2004	5.36	5.89	7.18	4.70	7.16
	2005 - 2009	6.01	6.34	7.14	5.18	7.53
Male	Annual trend	0.995	0.991	0.986		
Female	Annual trend	1.010	1.009	1.007		
(3 last periods)						




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.2	0.0	0.0	0.0
5-	0.0	0.0	0.1	0.3
10-	0.6	0.0	0.2	0.5
15-	0.3	0.8	0.1	0.1
20-	1.0	0.3	0.3	0.5
25-	1.1	1.1	0.5	0.5
30-	1.4	2.3	1.6	1.0
35-	2.8	2.3	0.9	2.6
40-	9.5	5.9	3.9	3.6
45-	21.2	18.1	6.6	7.2
50-	38.8	31.3	11.3	12.4
55-	57.7	51.9	19.5	17.6
60-	50.9	64.5	17.6	21.3
65-	54.2	58.0	18.8	19.5
70-	52.4	63.8	17.8	22.2
75-	52.3	62.0	17.8	20.0
80-	49.2	53.2	18.0	20.4
85+	49.1	45.2	23.0	18.1
Crude rate	18.7	19.9	7.3	8.1



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	112	623	462	1'197	239
	1990 - 1994	177	720	463	1'359	272
	1995 - 1999	127	810	558	1'495	299
	2000 - 2004	110	972	701	1'783	357
	2005 - 2009	95	954	822	1'871	374
Female	1985 - 1989	25	138	225	388	78
	1990 - 1994	31	178	268	476	95
	1995 - 1999	17	222	291	529	106
	2000 - 2004	40	202	348	590	118
	2005 - 2009	30	297	331	657	131
Total	Total (3 last periods)	417	3'458	3'050	6'925	462



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	1.50	19.56	36.75
	1990 - 1994	0.00	2.22 **	21.35	34.79
	1995 - 1999	0.00	1.59 **	21.98	38.88
	2000 - 2004	0.00	1.37	24.20	44.36 *
	2005 - 2009	0.00	1.15	21.71 **	46.49
Female	1985 - 1989	0.00	0.34	3.93	10.89
	1990 - 1994	0.00	0.39	4.84	12.23
	1995 - 1999	0.00	0.22 *	5.68	12.39
	2000 - 2004	0.00	0.50 **	4.86	13.87
	2005 - 2009	0.00	0.36	6.60 **	12.39
Male	Annual trend		0.968	0.999	1.018
Female	Annual trend		1.054	1.015	1.000
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	5.85	7.44	11.48	5.39	9.55
	1990 - 1994	6.49	8.03	11.87	6.22	9.94
	1995 - 1999	6.91	8.24	11.55	6.65	9.95
	2000 - 2004	8.02	8.95	11.28	7.41	10.58
	2005 - 2009	7.63	8.31	10.02	6.99	9.75
Female	1985 - 1989	1.29	1.71	2.74	0.86	2.63
	1990 - 1994	1.72	2.00	2.70	1.24	2.85
	1995 - 1999	1.91	2.14	2.68	1.41	2.90
	2000 - 2004	1.90	2.20	2.91	1.50	2.96
	2005 - 2009	2.22	2.38	2.76	1.73	3.10
Male	Annual trend	1.010	1.001	0.986		
Female	Annual trend	1.015	1.011	1.003		
(3 last periods)						




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.0	0.0	0.0
20-	0.0	0.0	0.0	0.0
25-	0.0	0.0	0.0	0.0
30-	0.0	0.0	0.0	0.0
35-	0.2	0.0	0.0	0.0
40-	0.6	0.3	0.1	0.1
45-	1.9	1.2	0.2	0.5
50-	5.4	4.8	0.5	0.9
55-	14.2	9.0	2.2	2.8
60-	23.4	16.9	2.9	6.2
65-	29.5	32.4	5.4	8.2
70-	35.5	34.6	5.6	10.5
75-	44.3	39.3	6.2	12.3
80-	43.1	50.6	12.8	9.2
85+	43.1	52.1	11.9	13.8
Crude rate	10.0	10.1	15.7	15.0



Number of new cases - three last periods

Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	254	1'249	1'774	3'277	655
	1990 - 1994	252	1'168	1'587	3'007	601
	1995 - 1999	270	1'095	1'576	2'941	588
	2000 - 2004	261	977	1'362	2'599	520
	2005 - 2009	237	966	1'168	2'370	474
Female	1985 - 1989	148	510	1'598	2'256	451
	1990 - 1994	155	529	1'393	2'078	416
	1995 - 1999	151	500	1'198	1'849	370
	2000 - 2004	179	429	1'021	1'628	326
	2005 - 2009	154	424	954	1'532	306
Total	Total (3 last periods)	1'250	4'391	7'279	12'920	861




Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	3.42	39.21	141.18
	1990 - 1994	0.05	3.13	34.64 **	119.42 **
	1995 - 1999	0.00	3.39	29.71 **	109.78 *
	2000 - 2004	0.03	3.25	24.32 **	86.15 **
	2005 - 2009	0.00	2.88	21.97 *	66.09 **
Female	1985 - 1989	0.00	2.02	14.47	77.31
	1990 - 1994	0.00	1.99	14.40	63.60 **
	1995 - 1999	0.03	1.90	12.82	51.08 **
	2000 - 2004	0.00	2.25	10.29 **	40.71 **
	2005 - 2009	0.00	1.89	9.43	35.76 **
Male	Annual trend		0.984	0.970	0.951
Female	Annual trend		0.999	0.970	0.965

(3 last periods)




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	19.88	19.86	19.80	16.89	22.96
	1990 - 1994	17.13	17.06	16.83	14.66	19.58
	1995 - 1999	15.25	15.53	16.21	13.42	17.68
	2000 - 2004	12.48	12.57	12.77	10.80	14.40
	2005 - 2009	10.16	10.45	11.18	9.03	12.07
Female	1985 - 1989	9.49	8.94	7.56	7.34	10.67
	1990 - 1994	7.97	7.91	7.78	6.50	9.38
	1995 - 1999	6.86	6.81	6.69	5.59	8.05
	2000 - 2004	5.63	5.68	5.80	4.62	6.79
	2005 - 2009	4.78	5.00	5.53	4.01	5.95
Male	Annual trend	0.960	0.961	0.964		
Female	Annual trend	0.965	0.970	0.981		


(3 last periods)

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M	M	F	F
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.1	0.0	0.0	0.0
20-	0.3	0.4	0.7	0.3
25-	0.1	0.7	0.5	0.0
30-	1.6	0.8	1.9	0.6
35-	2.2	3.0	2.1	1.2
40-	4.6	4.5	3.5	3.2
45-	10.0	6.5	4.3	5.2
50-	12.1	12.2	5.5	5.3
55-	22.0	16.7	8.1	8.2
60-	30.6	22.8	12.5	10.6
65-	40.7	44.0	17.6	15.4
70-	64.2	54.1	23.4	23.2
75-	83.8	65.1	37.1	31.4
80-	107.2	73.9	50.8	43.3
85+	124.8	88.9	61.8	51.1
Crude rate	14.6	12.8	8.7	7.9



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	40	123	175	339	68
	1990 - 1994	23	151	143	317	63
	1995 - 1999	27	161	175	363	73
	2000 - 2004	52	173	196	420	84
	2005 - 2009	49	183	168	399	80
Female	1985 - 1989	24	68	161	253	51
	1990 - 1994	29	94	132	255	51
	1995 - 1999	19	94	142	255	51
	2000 - 2004	35	131	181	347	69
	2005 - 2009	31	119	152	302	60
Total	Total (3 last periods)	213	860	1'013	2'087	139



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.54	3.87	13.95
	1990 - 1994	0.00	0.29 *	4.48	10.73 *
	1995 - 1999	0.00	0.34	4.37	12.21
	2000 - 2004	0.00	0.65 **	4.30	12.37
	2005 - 2009	0.00	0.59	4.16	9.50 *
Female	1985 - 1989	0.00	0.33	1.93	7.78
	1990 - 1994	0.00	0.37	2.56	6.05 *
	1995 - 1999	0.00	0.24	2.40	6.04
	2000 - 2004	0.00	0.44 *	3.15 *	7.21
	2005 - 2009	0.06	0.36	2.64	5.70 *
Male	Annual trend		1.058	0.995	0.975
Female	Annual trend		1.038	1.010	0.994
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	2.26	2.03	1.40	1.15	2.97
	1990 - 1994	1.85	1.81	1.68	1.06	2.66
	1995 - 1999	1.98	1.94	1.83	1.23	2.74
	2000 - 2004	2.05	2.06	2.05	1.36	2.83
	2005 - 2009	1.71	1.77	1.90	1.14	2.41
Female	1985 - 1989	1.12	1.07	0.93	0.49	1.74
	1990 - 1994	1.12	1.09	1.03	0.56	1.70
	1995 - 1999	1.07	1.02	0.90	0.54	1.54
	2000 - 2004	1.40	1.36	1.26	0.83	1.95
	2005 - 2009	1.11	1.13	1.17	0.67	1.63
Male	Annual trend	0.985	0.991	1.004		
Female	Annual trend	1.004	1.010	1.027		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.0	0.0	0.2
20-	0.0	0.0	0.1	0.0
25-	0.2	0.3	0.4	0.0
30-	0.0	0.0	0.1	0.2
35-	0.5	0.4	0.1	0.4
40-	1.6	0.7	0.8	0.8
45-	1.4	1.9	1.0	0.6
50-	2.5	2.5	2.3	0.4
55-	3.2	3.8	2.7	2.1
60-	5.2	5.4	2.4	4.3
65-	7.9	5.6	5.8	4.5
70-	10.5	7.8	7.2	7.1
75-	13.4	10.6	6.6	5.9
80-	14.0	10.7	8.4	5.1
85+	13.3	9.9	6.8	4.0
Crude rate	2.4	2.1	1.9	1.6



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	469	3'174	4'742	8'385	1'677
	1990 - 1994	580	3'525	4'899	9'004	1'801
	1995 - 1999	578	3'937	5'099	9'614	1'923
	2000 - 2004	625	4'448	5'574	10'647	2'129
	2005 - 2009	643	4'672	6'041	11'355	2'271
Female	1985 - 1989	420	2'412	4'754	7'586	1'517
	1990 - 1994	496	2'570	4'843	7'909	1'582
	1995 - 1999	563	2'713	5'139	8'416	1'683
	2000 - 2004	558	2'910	5'468	8'936	1'787
	2005 - 2009	660	2'969	5'416	9'045	1'809
Total	Total (3 last periods)	3'626	21'649	32'737	58'013	3'868



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.06	6.28	99.67	377.29
	1990 - 1994	0.07	7.25	104.51 *	368.55
	1995 - 1999	0.00	7.27	106.78	355.26
	2000 - 2004	0.13	7.76	110.78	352.54
	2005 - 2009	0.10	7.77	106.26 **	341.81
Female	1985 - 1989	0.05	5.72	68.50	229.98
	1990 - 1994	0.00	6.36	69.95	221.10 **
	1995 - 1999	0.31	6.99	69.51	219.10
	2000 - 2004	0.39	6.83	69.78	218.14
	2005 - 2009	0.14	8.03	66.03 *	202.94 **
Male	Annual trend		1.007	1.000	0.996
Female	Annual trend		1.014	0.995	0.992
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	50.76	50.78	50.81	46.04	55.71
	1990 - 1994	50.40	51.08	52.74	46.80	55.35
	1995 - 1999	50.65	51.16	52.41	47.33	55.04
	2000 - 2004	51.30	51.81	53.07	48.20	55.50
	2005 - 2009	47.84	49.24	52.75	45.81	52.37
Female	1985 - 1989	32.28	32.32	32.42	29.12	35.78
	1990 - 1994	32.22	32.01	31.50	29.08	34.99
	1995 - 1999	32.11	32.25	32.57	29.59	35.01
	2000 - 2004	32.24	32.18	32.02	29.64	34.81
	2005 - 2009	30.18	30.53	31.35	28.14	32.90
Male	Annual trend	0.994	0.996	1.001		
Female	Annual trend	0.994	0.995	0.996		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.2	0.0	0.0
5-	0.0	0.0	0.4	0.0
10-	0.0	0.0	0.2	0.3
15-	0.5	0.2	0.9	0.2
20-	1.4	1.3	0.8	1.0
25-	2.6	1.1	0.9	1.9
30-	1.1	2.3	2.6	2.6
35-	5.2	5.1	4.1	5.0
40-	10.2	11.6	10.7	12.2
45-	24.9	21.4	20.6	21.9
50-	47.5	43.2	35.2	37.8
55-	89.4	79.0	53.9	56.7
60-	141.1	136.2	83.9	73.1
65-	212.5	205.7	125.3	109.4
70-	289.3	279.8	157.7	149.7
75-	367.0	366.1	216.8	198.5
80-	408.7	388.5	263.8	244.3
85+	423.9	392.2	266.3	241.0
Crude rate	59.8	61.1	48.0	46.9



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	22	63	78	164	33
	1990 - 1994	18	85	69	172	34
	1995 - 1999	27	67	56	151	30
	2000 - 2004	41	103	73	216	43
	2005 - 2009	45	135	79	259	52
Female	1985 - 1989	27	156	189	373	75
	1990 - 1994	50	149	180	380	76
	1995 - 1999	52	178	226	455	91
	2000 - 2004	62	235	204	500	100
	2005 - 2009	94	276	241	611	122
Total	Total (3 last periods)	320	994	879	2'193	146



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.30	1.99	6.24
	1990 - 1994	0.00	0.23	2.52	5.16
	1995 - 1999	0.00	0.34	1.83	3.93
	2000 - 2004	0.00	0.51	2.57 *	4.59
	2005 - 2009	0.00	0.54	3.07	4.49
Female	1985 - 1989	0.00	0.38	4.44	9.15
	1990 - 1994	0.00	0.65 *	4.06	8.21
	1995 - 1999	0.00	0.66	4.55	9.62
	2000 - 2004	0.03	0.76	5.63 *	8.13
	2005 - 2009	0.00	1.15 *	6.13	9.03
Male	Annual trend		1.047	1.053	1.013
Female	Annual trend		1.057	1.030	0.994
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	0.87	1.00	1.32	0.33	1.81
	1990 - 1994	0.80	0.99	1.47	0.38	1.71
	1995 - 1999	0.75	0.80	0.93	0.34	1.35
	2000 - 2004	1.05	1.07	1.13	0.56	1.66
	2005 - 2009	1.13	1.20	1.37	0.72	1.78
Female	1985 - 1989	1.44	1.73	2.47	0.92	2.66
	1990 - 1994	1.50	1.66	2.06	0.98	2.43
	1995 - 1999	1.59	1.88	2.59	1.21	2.63
	2000 - 2004	1.81	2.08	2.72	1.38	2.82
	2005 - 2009	1.98	2.37	3.30	1.68	3.12
Male	Annual trend	1.042	1.041	1.039		
Female	Annual trend	1.022	1.023	1.025		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.1	0.0
15-	0.0	0.0	0.0	0.0
20-	0.0	0.0	0.0	0.0
25-	0.0	0.1	0.0	0.0
30-	0.0	0.2	0.3	0.2
35-	0.7	0.2	0.9	0.6
40-	1.3	0.8	1.1	1.9
45-	0.9	1.6	2.1	3.6
50-	1.5	2.2	4.2	4.2
55-	2.5	2.8	4.3	5.4
60-	2.8	4.3	7.2	6.8
65-	4.1	3.2	7.7	9.0
70-	4.0	4.4	7.8	9.2
75-	3.5	4.6	5.0	6.4
80-	6.3	4.4	7.7	12.2
85+	6.1	4.6	13.2	8.9
Crude rate	1.2	1.4	2.7	3.2



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	94	656	817	1'567	313
	1990 - 1994	121	782	730	1'633	327
	1995 - 1999	125	918	890	1'934	387
	2000 - 2004	184	1'085	1'068	2'337	467
	2005 - 2009	138	1'174	1'081	2'392	478
Female	1985 - 1989	25	140	332	497	99
	1990 - 1994	45	155	322	522	104
	1995 - 1999	50	217	379	646	129
	2000 - 2004	48	249	475	772	154
	2005 - 2009	57	280	439	777	155
Total	Total (3 last periods)	602	3'923	4'333	8'858	591



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.34	1.08	20.61	64.99
	1990 - 1994	0.21	1.41	23.19 *	54.93 **
	1995 - 1999	0.36	1.39	24.90	62.03 *
	2000 - 2004	0.34	2.12 **	27.03	67.54
	2005 - 2009	0.26	1.54 **	26.69	61.17 *
Female	1985 - 1989	0.00	0.34	3.99	16.05
	1990 - 1994	0.25	0.46	4.21	14.69
	1995 - 1999	0.17	0.55	5.56 **	16.15
	2000 - 2004	0.14	0.53	5.96	18.96 *
	2005 - 2009	0.16	0.62	6.23	16.47 *
Male	Annual trend		1.011	1.007	0.999
Female	Annual trend		1.012	1.011	1.002
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	8.95	9.49	10.87	7.34	11.68
	1990 - 1994	7.90	9.47	13.42	7.54	11.51
	1995 - 1999	8.48	10.43	15.31	8.59	12.31
	2000 - 2004	9.02	11.63	18.14	9.81	13.52
	2005 - 2009	8.31	10.72	16.72	9.13	12.34
Female	1985 - 1989	2.15	2.05	1.78	1.27	2.92
	1990 - 1994	1.96	2.11	2.47	1.35	2.93
	1995 - 1999	2.44	2.55	2.80	1.79	3.36
	2000 - 2004	2.50	2.83	3.64	2.06	3.67
	2005 - 2009	2.56	2.79	3.35	2.07	3.58
Male	Annual trend	0.998	1.003	1.009		
Female	Annual trend	1.005	1.009	1.018		
(3 last periods)						
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	M	M	F	F
	2000-04	2005-09	2000-04	2005-09
0-	0.8	0.7	0.2	0.4
5-	0.0	0.0	0.0	0.2
10-	0.4	0.2	0.1	0.0
15-	0.2	0.2	0.2	0.1
20-	0.5	0.1	0.2	0.1
25-	0.0	0.5	0.0	0.3
30-	0.3	0.0	0.2	0.6
35-	1.3	0.8	0.2	0.1
40-	2.7	1.5	0.5	0.5
45-	7.6	5.6	2.1	2.0
50-	12.1	13.4	3.0	3.9
55-	16.7	21.0	4.0	3.6
60-	37.6	31.7	6.4	7.5
65-	55.0	49.3	12.4	11.3
70-	67.8	62.3	16.6	14.6
75-	69.4	67.3	19.4	20.4
80-	68.4	62.3	19.6	16.4
85+	61.6	44.0	21.4	14.3
Crude rate	13.1	12.9	4.1	4.0



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	21	179	333	533	107
	1990 - 1994	34	230	274	538	108
	1995 - 1999	30	214	285	529	106
	2000 - 2004	23	204	342	569	114
	2005 - 2009	39	260	434	733	147
Female	1985 - 1989	12	260	760	1'032	206
	1990 - 1994	35	275	741	1'051	210
	1995 - 1999	25	219	693	937	187
	2000 - 2004	33	251	673	958	192
	2005 - 2009	32	265	634	931	186
Total	Total (3 last periods)	183	1'413	3'061	4'657	310



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.29	5.61	26.52
	1990 - 1994	0.00	0.43	6.82 *	20.59 **
	1995 - 1999	0.00	0.38	5.80	19.83
	2000 - 2004	0.00	0.29	5.08	21.63
	2005 - 2009	0.00	0.48	5.92	24.55
Female	1985 - 1989	0.00	0.16	7.37	36.77
	1990 - 1994	0.00	0.45 **	7.48	33.85 *
	1995 - 1999	0.00	0.32	5.60 **	29.55 **
	2000 - 2004	0.00	0.41	6.03	26.86
	2005 - 2009	0.05	0.36	5.90	23.76 *
Male	Annual trend		1.023	1.002	1.022
Female	Annual trend		1.013	1.005	0.978
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	3.12	3.19	3.34	2.02	4.48
	1990 - 1994	3.14	3.05	2.81	2.07	4.14
	1995 - 1999	2.70	2.82	3.12	1.92	3.78
	2000 - 2004	2.63	2.71	2.88	1.90	3.58
	2005 - 2009	3.15	3.12	3.06	2.37	4.00
Female	1985 - 1989	4.14	4.00	3.65	2.92	5.13
	1990 - 1994	4.07	3.91	3.51	2.96	4.93
	1995 - 1999	3.28	3.18	2.91	2.38	4.01
	2000 - 2004	3.35	3.21	2.89	2.45	4.04
	2005 - 2009	3.02	2.98	2.86	2.27	3.72
Male	Annual trend	1.016	1.010	0.998		
Female	Annual trend	0.992	0.994	0.998		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.2
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.0	0.0	0.0
20-	0.0	0.2	0.1	0.0
25-	0.0	0.1	0.0	0.0
30-	0.0	0.0	0.0	0.2
35-	0.4	0.3	0.1	0.1
40-	0.5	1.0	0.8	0.9
45-	0.7	1.1	1.5	0.8
50-	1.7	2.5	3.1	1.4
55-	4.5	4.2	4.0	6.4
60-	7.4	8.7	6.6	5.6
65-	8.8	10.1	12.3	12.0
70-	17.9	18.7	18.3	19.7
75-	18.0	25.0	28.0	22.2
80-	28.6	35.2	33.0	24.8
85+	30.6	24.6	32.2	30.2
Crude rate	3.2	3.9	5.1	4.8



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	121	856	1'068	2'045	409
	1990 - 1994	136	776	1'116	2'028	406
	1995 - 1999	150	870	1'142	2'162	432
	2000 - 2004	114	933	1'296	2'342	468
	2005 - 2009	129	1'064	1'325	2'518	504
Female	1985 - 1989	67	625	1'466	2'157	431
	1990 - 1994	60	617	1'370	2'047	409
	1995 - 1999	85	684	1'436	2'205	441
	2000 - 2004	79	753	1'618	2'449	490
	2005 - 2009	105	839	1'808	2'753	551
Total	Total (3 last periods)	661	5'143	8'625	14'429	962



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	1.62	26.89	84.96
	1990 - 1994	0.00	1.71	23.01 **	83.94
	1995 - 1999	0.08	1.84	23.60	79.57
	2000 - 2004	0.05	1.40 *	23.23	81.97
	2005 - 2009	0.00	1.57	24.19	74.98 *
Female	1985 - 1989	0.00	0.91	17.74	70.92
	1990 - 1994	0.00	0.77	16.79	62.56 **
	1995 - 1999	0.00	1.08	17.53	61.20
	2000 - 2004	0.06	0.96	18.06	64.53
	2005 - 2009	0.06	1.26	18.67	67.76
Male	Annual trend		0.984	1.002	0.994
Female	Annual trend		1.016	1.006	1.010
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	12.28	12.47	12.95	10.05	14.92
	1990 - 1994	10.98	11.58	13.03	9.55	13.71
	1995 - 1999	11.37	11.51	11.86	9.69	13.37
	2000 - 2004	10.62	11.25	12.78	9.56	13.01
	2005 - 2009	10.52	10.91	11.89	9.46	12.55
Female	1985 - 1989	8.87	8.89	8.92	7.17	10.64
	1990 - 1994	7.68	7.89	8.40	6.47	9.39
	1995 - 1999	7.87	8.15	8.83	6.83	9.56
	2000 - 2004	8.21	8.46	9.06	7.17	9.81
	2005 - 2009	8.93	8.82	8.56	7.65	10.14
Male	Annual trend	0.992	0.995	1.000		
Female	Annual trend	1.013	1.008	0.997		
(3 last periods)						




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.2	0.0	0.2	0.2
20-	0.0	0.1	0.1	0.0
25-	0.3	0.0	0.2	0.2
30-	0.0	0.1	0.3	0.1
35-	1.4	0.5	0.8	0.9
40-	2.2	2.9	1.1	2.5
45-	4.1	4.9	3.2	3.2
50-	11.2	10.3	7.4	6.9
55-	21.9	16.1	16.3	13.6
60-	27.8	34.7	22.1	23.5
65-	39.8	44.0	31.2	35.9
70-	62.2	57.4	43.9	48.4
75-	85.4	76.6	61.4	63.9
80-	108.5	98.1	76.5	85.9
85+	94.1	86.4	88.2	81.3
Crude rate	13.2	13.6	13.2	14.3



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	149	689	343	1'181	236
	1990 - 1994	160	645	282	1'087	217
	1995 - 1999	166	679	324	1'169	234
	2000 - 2004	114	708	394	1'215	243
	2005 - 2009	82	674	407	1'162	232
Female	1985 - 1989	16	71	42	130	26
	1990 - 1994	18	82	55	156	31
	1995 - 1999	29	102	56	188	38
	2000 - 2004	25	94	80	200	40
	2005 - 2009	15	91	53	158	32
Total	Total (3 last periods)	431	2'348	1'313	4'092	273



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	2.00	21.65	27.27
	1990 - 1994	0.00	2.01	19.14 *	21.18 **
	1995 - 1999	0.00	2.09	18.41	22.58
	2000 - 2004	0.00	1.43 **	17.63	24.89
	2005 - 2009	0.02	0.99 **	15.32 **	23.00
Female	1985 - 1989	0.00	0.22	2.02	2.06
	1990 - 1994	0.04	0.21	2.24	2.53
	1995 - 1999	0.00	0.37	2.62	2.41
	2000 - 2004	0.00	0.32	2.26	3.20
	2005 - 2009	0.00	0.18	2.02	1.97 **
Male	Annual trend		0.928	0.982	1.002
Female	Annual trend		0.933	0.974	0.980
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	6.03	7.54	11.37	5.50	9.70
	1990 - 1994	5.70	6.53	8.59	4.93	8.24
	1995 - 1999	5.34	6.54	9.56	5.12	8.10
	2000 - 2004	5.42	6.21	8.18	4.90	7.60
	2005 - 2009	4.55	5.24	6.95	4.09	6.33
Female	1985 - 1989	0.48	0.66	1.11	0.12	1.32
	1990 - 1994	0.64	0.77	1.10	0.28	1.37
	1995 - 1999	0.78	0.91	1.23	0.42	1.48
	2000 - 2004	0.75	0.85	1.09	0.41	1.35
	2005 - 2009	0.52	0.64	0.93	0.29	1.05
Male	Annual trend	0.984	0.978	0.969		
Female	Annual trend	0.960	0.965	0.972		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.1	0.0	0.0
20-	0.0	0.0	0.0	0.0
25-	0.0	0.0	0.0	0.0
30-	0.1	0.2	0.1	0.0
35-	1.2	0.1	0.1	0.2
40-	2.2	0.9	0.5	0.4
45-	4.7	4.2	1.1	0.4
50-	13.4	8.3	1.5	1.0
55-	17.5	13.3	2.7	1.7
60-	19.3	19.9	2.5	2.4
65-	22.8	23.3	2.4	3.4
70-	28.8	24.8	3.3	2.2
75-	25.2	17.8	3.9	2.1
80-	17.9	30.4	1.7	2.5
85+	22.9	18.7	3.6	0.9
Crude rate	6.8	6.3	1.1	0.8



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	746	6'573	5'461	12'780	2'556
	1990 - 1994	762	6'087	5'210	12'059	2'412
	1995 - 1999	758	5'886	5'333	11'978	2'396
	2000 - 2004	670	5'647	5'804	12'121	2'424
	2005 - 2009	583	5'868	5'850	12'300	2'460
Female	1985 - 1989	313	1'369	1'287	2'970	594
	1990 - 1994	419	1'740	1'709	3'868	774
	1995 - 1999	478	1'982	1'922	4'382	876
	2000 - 2004	439	2'653	2'403	5'496	1'099
	2005 - 2009	505	3'394	3'000	6'899	1'380
Total	Total (3 last periods)	3'434	25'431	24'311	53'175	3'545



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.04	10.01	206.42	434.52
	1990 - 1994	0.09	9.52	180.50 **	391.90 **
	1995 - 1999	0.00	9.54	159.65 **	371.54 **
	2000 - 2004	0.00	8.40 **	140.63 **	367.09
	2005 - 2009	0.02	7.08 **	133.48 **	331.01 **
Female	1985 - 1989	0.06	4.26	38.89	62.26
	1990 - 1994	0.07	5.33 **	47.37 **	78.01 **
	1995 - 1999	0.03	6.06	50.76 *	81.93
	2000 - 2004	0.03	5.52 *	63.63 **	95.87 **
	2005 - 2009	0.11	6.13	75.49 **	112.40 **
Male	Annual trend		0.971	0.982	0.989
Female	Annual trend		1.001	1.040	1.032
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	75.37	78.79	87.40	72.56	84.97
	1990 - 1994	67.49	70.22	77.07	65.15	75.39
	1995 - 1999	61.99	65.22	73.33	60.96	69.84
	2000 - 2004	56.76	59.77	67.31	55.83	63.82
	2005 - 2009	51.47	54.36	61.59	50.81	57.78
Female	1985 - 1989	13.38	14.50	17.27	12.13	17.04
	1990 - 1994	17.08	17.85	19.73	15.50	20.23
	1995 - 1999	17.83	19.34	23.02	17.06	21.59
	2000 - 2004	21.67	22.95	26.05	20.64	25.32
	2005 - 2009	25.82	26.73	28.92	24.44	29.10
Male	Annual trend	0.982	0.982	0.983		
Female	Annual trend	1.038	1.033	1.023		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M	M	F	F
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.2
5-	0.0	0.0	0.0	0.0
10-	0.0	0.1	0.0	0.0
15-	0.0	0.0	0.1	0.2
20-	0.7	0.1	0.3	0.5
25-	0.6	1.2	0.7	1.6
30-	1.3	1.3	0.6	0.9
35-	2.6	2.6	1.6	3.2
40-	13.1	8.6	8.0	6.7
45-	30.9	25.1	21.5	21.3
50-	61.1	61.3	38.3	38.5
55-	117.7	106.6	58.5	68.2
60-	175.2	165.1	78.2	89.5
65-	266.4	244.5	90.8	120.0
70-	360.6	315.9	107.1	124.8
75-	421.2	361.5	100.7	132.5
80-	369.9	364.6	102.6	115.9
85+	262.1	262.4	65.5	66.4
Crude rate	68.1	66.2	29.5	35.8



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	32	148	135	315	63
	1990 - 1994	37	185	177	398	80
	1995 - 1999	21	249	287	557	111
	2000 - 2004	29	342	239	610	122
	2005 - 2009	15	323	418	757	151
Female	1985 - 1989	0	27	24	51	10
	1990 - 1994	2	30	38	70	14
	1995 - 1999	12	31	52	96	19
	2000 - 2004	1	37	57	95	19
	2005 - 2009	7	45	76	127	25
Total	Total (3 last periods)	85	1'027	1'130	2'241	149



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.43	4.64	10.76
	1990 - 1994	0.00	0.47	5.47	13.28
	1995 - 1999	0.00	0.27 *	6.76 *	19.99 **
	2000 - 2004	0.00	0.36	8.51 **	15.14 **
	2005 - 2009	0.00	0.19 *	7.36 *	23.65 **
Female	1985 - 1989	0.00	0.00	0.76	1.15
	1990 - 1994	0.00	0.03	0.82	1.71
	1995 - 1999	0.00	0.15 *	0.80	2.24
	2000 - 2004	0.00	0.01 **	0.89	2.26
	2005 - 2009	0.00	0.08	0.99	2.85
Male	Annual trend		0.966	1.009	1.017
Female	Annual trend		0.941	1.022	1.025
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	2.29	1.95	1.06	1.14	2.88
	1990 - 1994	2.70	2.33	1.38	1.52	3.24
	1995 - 1999	3.45	2.96	1.75	2.13	3.89
	2000 - 2004	3.56	3.08	1.86	2.25	3.98
	2005 - 2009	3.79	3.23	1.84	2.44	4.04
Female	1985 - 1989	0.18	0.24	0.39	0.00	0.64
	1990 - 1994	0.27	0.29	0.34	0.01	0.64
	1995 - 1999	0.39	0.39	0.38	0.11	0.72
	2000 - 2004	0.37	0.34	0.27	0.10	0.65
	2005 - 2009	0.53	0.44	0.22	0.18	0.74
Male	Annual trend	1.009	1.009	1.005		
Female	Annual trend	1.031	1.012	0.947		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.0	0.0	0.0
20-	0.2	0.0	0.0	0.0
25-	0.2	0.0	0.0	0.0
30-	0.0	0.0	0.0	0.0
35-	0.1	0.0	0.0	0.0
40-	0.7	0.1	0.0	0.3
45-	0.9	1.0	0.1	0.2
50-	4.2	1.6	0.3	0.6
55-	6.6	4.7	0.5	0.9
60-	13.3	11.8	1.7	1.0
65-	12.8	14.5	1.4	1.7
70-	12.9	17.8	1.6	2.9
75-	13.0	25.6	2.4	2.4
80-	15.0	28.7	2.5	2.8
85+	26.5	28.0	2.8	3.4
Crude rate	3.4	4.1	0.5	0.7



Number of new cases - three last periods

Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	154	46	23	223	45
	1990 - 1994	110	55	25	189	38
	1995 - 1999	107	56	22	185	37
	2000 - 2004	118	60	45	223	45
	2005 - 2009	108	43	44	194	39
Female	1985 - 1989	67	23	40	131	26
	1990 - 1994	105	41	46	192	38
	1995 - 1999	68	30	35	133	27
	2000 - 2004	105	36	25	166	33
	2005 - 2009	81	26	25	132	26
Total	Total (3 last periods)	587	250	195	1'033	69




Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	1.49	1.26	1.43	1.81
	1990 - 1994	1.14	0.79 **	1.62	1.89
	1995 - 1999	0.98	0.83	1.51	1.55
	2000 - 2004	1.17	0.85	1.49	2.86 *
	2005 - 2009	1.06	0.77	0.97 *	2.47
Female	1985 - 1989	0.82	0.48	0.66	1.95
	1990 - 1994	1.43	0.63	1.11 *	2.10
	1995 - 1999	0.76	0.48	0.77	1.48
	2000 - 2004	1.17	0.73 *	0.86	1.00
	2005 - 2009	1.19	0.42 *	0.57	0.92
Male	Annual trend		0.993	0.957	1.048
Female	Annual trend		0.986	0.971	0.954


(3 last periods)



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	1.58	1.35	0.77	0.69	2.13
	1990 - 1994	1.08	1.13	1.25	0.50	1.85
	1995 - 1999	1.14	1.06	0.88	0.53	1.68
	2000 - 2004	1.30	1.22	1.02	0.67	1.86
	2005 - 2009	1.02	0.99	0.90	0.51	1.53
Female	1985 - 1989	0.79	0.70	0.44	0.25	1.26
	1990 - 1994	1.16	1.04	0.73	0.49	1.67
	1995 - 1999	0.60	0.67	0.86	0.24	1.20
	2000 - 2004	0.85	0.88	0.96	0.41	1.45
	2005 - 2009	0.72	0.69	0.61	0.28	1.16
Male	Annual trend	0.989	0.993	1.002		
Female	Annual trend	1.018	1.003	0.966		

(3 last periods)




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.0	0.3	0.5	0.6
5-	1.2	0.7	1.3	1.1
10-	1.5	1.3	1.8	1.7
15-	1.9	1.8	1.0	1.3
20-	1.3	1.3	0.9	0.1
25-	0.6	0.1	0.5	0.2
30-	1.5	0.4	0.7	1.0
35-	0.4	1.0	1.0	0.5
40-	0.3	0.7	0.5	0.3
45-	1.2	1.0	0.8	0.5
50-	1.1	0.6	0.7	0.4
55-	1.8	0.7	1.0	0.6
60-	2.3	0.9	1.0	0.5
65-	0.7	2.1	0.8	0.8
70-	3.9	2.0	1.1	0.5
75-	2.5	1.9	0.0	1.1
80-	1.5	3.2	1.6	1.3
85+	2.7	3.9	1.7	0.9
Crude rate	1.3	1.0	0.9	0.7



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	639	864	626	2'130	426
	1990 - 1994	784	1'123	865	2'772	554
	1995 - 1999	974	1'316	1'089	3'380	676
	2000 - 2004	1'034	1'777	1'400	4'212	842
	2005 - 2009	1'191	2'055	2'018	5'264	1'053
Female	1985 - 1989	949	999	725	2'673	535
	1990 - 1994	1'120	979	836	2'935	587
	1995 - 1999	1'343	1'235	1'016	3'594	719
	2000 - 2004	1'626	1'454	1'290	4'369	874
	2005 - 2009	1'713	1'769	1'556	5'037	1'007
Total	Total (3 last periods)	7'882	9'605	8'369	25'856	1'724



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.42	8.37	27.14	49.80
	1990 - 1994	0.49	9.60 *	33.30 **	65.03 **
	1995 - 1999	1.06	11.70 **	35.70 *	75.88 **
	2000 - 2004	1.06	12.40	44.26 **	88.56 **
	2005 - 2009	0.60	14.19 **	46.75	114.21 **
Female	1985 - 1989	0.52	12.72	28.38	35.07
	1990 - 1994	0.78	13.97	26.66	38.17
	1995 - 1999	0.80	16.64 **	31.63 **	43.33 **
	2000 - 2004	1.43	19.77 **	34.86 *	51.44 **
	2005 - 2009	1.10	20.47	39.33 **	58.29 **
Male	Annual trend		1.020	1.027	1.042
Female	Annual trend		1.021	1.022	1.030
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	13.49	13.10	12.14	10.79	15.66
	1990 - 1994	16.46	15.99	14.76	13.67	18.39
	1995 - 1999	18.03	18.23	18.71	15.89	20.54
	2000 - 2004	20.45	21.21	23.06	18.87	23.67
	2005 - 2009	23.00	23.89	26.05	21.74	26.41
Female	1985 - 1989	14.66	14.29	13.35	11.95	16.74
	1990 - 1994	15.12	14.61	13.33	12.51	16.75
	1995 - 1999	17.08	17.07	17.08	14.94	19.22
	2000 - 2004	18.08	19.76	23.79	17.52	22.07
	2005 - 2009	20.43	21.10	22.69	18.99	23.31
Male	Annual trend	1.025	1.027	1.034		
Female	Annual trend	1.018	1.021	1.029		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M	M	F	F
	2000-04	2005-09	2000-04	2005-09
0-	0.2	0.2	0.2	0.5
5-	0.1	0.0	0.3	0.5
10-	1.3	0.2	0.7	0.3
15-	2.6	1.8	4.3	2.9
20-	4.7	4.2	12.2	7.4
25-	9.1	6.0	17.4	12.9
30-	12.0	11.7	18.1	16.9
35-	13.0	15.5	18.6	23.0
40-	14.0	18.9	24.4	27.5
45-	19.5	24.2	26.2	29.7
50-	30.0	28.1	34.1	30.6
55-	40.5	37.0	35.0	35.6
60-	56.8	54.9	30.7	42.2
65-	58.6	79.5	40.6	53.0
70-	79.8	103.7	49.9	59.6
75-	95.9	112.7	46.4	52.0
80-	100.7	129.1	51.4	60.7
85+	80.5	124.6	60.6	61.9
Crude rate	23.7	28.3	23.5	26.1



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	171	138	140	449	90
	1990 - 1994	179	124	134	436	87
	1995 - 1999	183	163	203	548	110
	2000 - 2004	205	147	173	525	105
	2005 - 2009	149	195	158	502	100
Female	1985 - 1989	155	136	157	447	89
	1990 - 1994	139	142	142	423	85
	1995 - 1999	122	130	211	463	93
	2000 - 2004	128	154	177	458	92
	2005 - 2009	150	132	161	442	88
Total	Total (3 last periods)	936	920	1'082	2'938	196



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	1.60	1.42	4.33	11.14
	1990 - 1994	0.90	1.78	3.67	10.06
	1995 - 1999	0.87	1.83	4.42	14.11 **
	2000 - 2004	0.78	2.16	3.65	10.93 *
	2005 - 2009	0.52	1.55 **	4.43	8.93
Female	1985 - 1989	1.08	1.54	3.86	7.59
	1990 - 1994	0.93	1.32	3.87	6.49
	1995 - 1999	0.67	1.20	3.34	9.01 **
	2000 - 2004	0.45	1.38	3.69	7.04 *
	2005 - 2009	0.77	1.46	2.93 *	6.03
Male	Annual trend		0.983	1.000	0.955
Female	Annual trend		1.020	0.987	0.961
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	3.01	2.77	2.16	1.69	3.95
	1990 - 1994	2.59	2.53	2.35	1.62	3.53
	1995 - 1999	2.89	2.98	3.21	2.05	3.97
	2000 - 2004	2.45	2.68	3.24	1.83	3.61
	2005 - 2009	2.26	2.33	2.52	1.60	3.10
Female	1985 - 1989	2.25	2.31	2.46	1.33	3.32
	1990 - 1994	2.11	2.11	2.09	1.30	2.99
	1995 - 1999	1.97	2.02	2.13	1.33	2.81
	2000 - 2004	1.93	1.96	2.03	1.29	2.70
	2005 - 2009	1.90	1.87	1.80	1.22	2.56
Male	Annual trend	0.976	0.976	0.976		
Female	Annual trend	0.996	0.992	0.983		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	1.3	1.3	0.7	1.7
5-	0.0	0.4	0.0	0.2
10-	0.9	0.3	0.5	0.3
15-	1.0	0.2	0.6	0.9
20-	1.7	0.3	0.6	1.0
25-	0.6	0.9	1.2	1.1
30-	1.8	1.5	1.4	1.0
35-	1.9	1.4	1.0	1.3
40-	2.7	2.6	1.5	1.6
45-	3.9	2.2	2.5	2.5
50-	2.0	3.5	3.3	2.0
55-	3.3	3.1	3.1	3.6
60-	4.7	4.7	3.2	3.7
65-	5.6	7.5	5.6	2.5
70-	8.0	6.5	4.3	5.0
75-	10.7	8.9	7.4	6.5
80-	12.3	12.9	9.1	5.4
85+	18.1	10.1	8.6	7.5
Crude rate	2.9	2.7	2.5	2.3



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	10	46	61	117	23
	1990 - 1994	13	66	61	140	28
	1995 - 1999	24	72	77	173	35
	2000 - 2004	8	67	78	153	31
	2005 - 2009	17	84	90	191	38
Female	1985 - 1989	4'101	7'580	6'833	18'514	3'703
	1990 - 1994	4'387	8'678	6'936	20'001	4'000
	1995 - 1999	4'665	10'731	7'613	23'009	4'602
	2000 - 2004	5'076	12'633	8'377	26'086	5'217
	2005 - 2009	5'573	12'458	8'910	26'942	5'388
Total	Total (3 last periods)	15'363	36'045	25'145	76'554	5'104



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.14	1.43	4.86
	1990 - 1994	0.00	0.17	1.96	4.58
	1995 - 1999	0.00	0.31	1.95	5.36
	2000 - 2004	0.00	0.10 **	1.68	4.91
	2005 - 2009	0.00	0.21	1.90	5.10
Female	1985 - 1989	0.06	56.12	215.28	330.52
	1990 - 1994	0.00	56.24	236.23 **	316.61 **
	1995 - 1999	0.03	59.23	274.89 **	324.57
	2000 - 2004	0.00	63.94	302.95 **	334.18
	2005 - 2009	0.06	68.33	277.08 **	333.88
Male	Annual trend		0.964	0.998	0.995
Female	Annual trend		1.014	1.001	1.003
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	0.74	0.69	0.57	0.19	1.32
	1990 - 1994	0.61	0.81	1.28	0.25	1.46
	1995 - 1999	0.85	0.93	1.09	0.42	1.51
	2000 - 2004	0.69	0.74	0.85	0.32	1.22
	2005 - 2009	0.78	0.83	0.95	0.41	1.29
Female	1985 - 1989	92.23	94.02	98.40	87.57	99.96
	1990 - 1994	92.64	97.66	109.91	91.97	103.32
	1995 - 1999	102.50	107.68	120.29	102.14	112.97
	2000 - 2004	108.80	115.04	130.12	109.73	120.40
	2005 - 2009	103.18	109.84	125.89	104.83	114.55
Male	Annual trend	0.991	0.989	0.986		
Female	Annual trend	1.001	1.002	1.005		
(3 last periods)						
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.0	0.0	0.2
20-	0.0	0.0	1.2	0.7
25-	0.0	0.0	6.6	7.7
30-	0.0	0.0	22.7	28.2
35-	0.2	0.1	52.3	51.6
40-	0.2	0.7	107.7	106.5
45-	0.2	0.4	178.5	182.1
50-	0.9	0.6	220.1	210.1
55-	1.1	1.6	290.8	242.7
60-	1.9	3.1	366.1	320.9
65-	3.6	2.9	368.1	363.0
70-	3.2	4.8	330.3	349.8
75-	5.6	4.1	334.3	339.8
80-	6.8	4.9	335.2	347.8
85+	5.6	8.2	338.9	290.3
Crude rate	0.9	1.0	140.1	139.7



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Female	1985 - 1989	761	703	457	1'921	384
	1990 - 1994	809	571	417	1'797	359
	1995 - 1999	811	500	394	1'705	341
	2000 - 2004	690	358	380	1'429	286
	2005 - 2009	549	395	268	1'212	242
Total	Total (3 last periods)	2'050	1'254	1'042	4'347	290



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989				
	1990 - 1994				
	1995 - 1999				
	2000 - 2004				
	2005 - 2009				
Female	1985 - 1989	0.00	10.42	19.96	22.12
	1990 - 1994	0.00	10.37	15.55 **	19.02 *
	1995 - 1999	0.00	10.30	12.82 **	16.79
	2000 - 2004	0.00	8.70 **	8.59 **	15.17
	2005 - 2009	0.05	6.71 **	8.79	10.05 **
Male	Annual trend				
Female	Annual trend (3 last periods)		0.958	0.963	0.950




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Female	1985 - 1989	10.52	10.33	9.88	8.35	12.42
	1990 - 1994	9.32	9.08	8.49	7.44	10.80
	1995 - 1999	8.69	8.17	6.90	6.78	9.65
	2000 - 2004	6.83	6.38	5.30	5.20	7.63
	2005 - 2009	5.47	5.28	4.83	4.25	6.40
Male	Annual trend					
Female	Annual trend (3 last periods)	0.955	0.957	0.965		
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	2000-04	2005-09	F 2000-04	F 2005-09
0-			0.0	0.0
5-			0.0	0.0
10-			0.0	0.1
15-			0.0	0.1
20-			0.5	0.9
25-			3.1	3.2
30-			9.3	4.8
35-			10.2	10.8
40-			12.6	9.1
45-			13.7	9.1
50-			7.9	9.6
55-			8.7	9.1
60-			8.0	8.2
65-			10.3	7.9
70-			13.3	7.5
75-			16.7	10.2
80-			16.2	10.9
85+			15.0	12.5
Crude rate			7.7	6.3



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Female	1985 - 1989	226	2'143	1'657	4'026	805
	1990 - 1994	266	1'951	1'697	3'914	783
	1995 - 1999	276	2'151	1'857	4'285	857
	2000 - 2004	329	2'188	1'917	4'435	887
	2005 - 2009	333	2'113	1'954	4'400	880
Total	Total (3 last periods)	938	6'453	5'729	13'119	875



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989				
	1990 - 1994				
	1995 - 1999				
	2000 - 2004				
	2005 - 2009				
Female	1985 - 1989	0.00	3.09	60.87	80.15
	1990 - 1994	0.00	3.41	53.10 **	77.46
	1995 - 1999	0.00	3.51	55.11	79.19
	2000 - 2004	0.00	4.14	52.48	76.48
	2005 - 2009	0.00	4.08	47.00 **	73.21
Male	Annual trend				
Female	Annual trend (3 last periods)		1.015	0.984	0.992




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Female	1985 - 1989	20.61	19.95	18.29	17.25	22.72
	1990 - 1994	18.79	18.20	16.74	15.94	20.56
	1995 - 1999	19.40	18.96	17.86	16.77	21.11
	2000 - 2004	18.64	18.48	18.09	16.46	20.57
	2005 - 2009	16.67	16.80	17.11	14.93	18.62
Male	Annual trend					
Female	Annual trend (3 last periods)	0.985	0.988	0.996		
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	2000-04	2005-09	F 2000-04	F 2005-09
0-			0.0	0.0
5-			0.0	0.0
10-			0.0	0.0
15-			0.0	0.0
20-			0.2	0.1
25-			0.3	0.3
30-			1.3	1.0
35-			3.9	2.9
40-			6.5	5.3
45-			11.7	12.9
50-			29.0	25.5
55-			46.0	45.1
60-			65.2	56.0
65-			80.8	68.7
70-			86.5	77.8
75-			79.9	76.7
80-			68.8	75.1
85+			64.5	60.6
Crude rate			23.8	22.8



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Female	1985 - 1989	517	1'264	1'166	2'947	589
	1990 - 1994	460	1'260	1'219	2'939	588
	1995 - 1999	507	1'324	1'189	3'020	604
	2000 - 2004	403	1'263	1'190	2'856	571
	2005 - 2009	362	1'265	1'292	2'919	584
Total	Total (3 last periods)	1'272	3'853	3'670	8'795	586



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989				
	1990 - 1994				
	1995 - 1999				
	2000 - 2004				
	2005 - 2009				
Female	1985 - 1989	0.36	6.89	35.90	56.38
	1990 - 1994	0.59	5.60 **	34.29	55.65
	1995 - 1999	0.29	6.29	33.93	50.68 *
	2000 - 2004	0.47	4.84 **	30.30 **	47.46
	2005 - 2009	0.41	4.24 *	28.13 *	48.40
Male	Annual trend				
Female	Annual trend (3 last periods)		0.961	0.981	0.995




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Female	1985 - 1989	14.67	14.79	15.09	12.44	17.28
	1990 - 1994	13.56	13.76	14.26	11.72	15.86
	1995 - 1999	13.63	13.61	13.55	11.80	15.54
	2000 - 2004	11.32	12.00	13.63	10.34	13.74
	2005 - 2009	10.77	11.26	12.41	9.71	12.77
Male	Annual trend					
Female	Annual trend (3 last periods)	0.977	0.981	0.991		
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	2000-04	2005-09	F 2000-04	F 2005-09
0-			0.1	0.0
5-			0.0	0.1
10-			0.9	0.4
15-			0.8	1.0
20-			0.8	0.7
25-			1.9	1.1
30-			1.9	1.8
35-			3.3	3.4
40-			8.4	4.4
45-			12.0	12.5
50-			18.7	18.7
55-			30.8	26.4
60-			33.3	31.7
65-			43.0	39.3
70-			48.4	49.8
75-			49.9	51.8
80-			47.4	49.1
85+			42.8	41.5
Crude rate			15.3	15.1



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	41	3'873	10'626	14'540	2'908
	1990 - 1994	69	5'199	12'247	17'515	3'503
	1995 - 1999	107	7'926	13'903	21'936	4'387
	2000 - 2004	186	12'795	14'614	27'595	5'519
	2005 - 2009	301	14'808	14'391	29'501	5'900
Female	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Total	Total (3 last periods)	594	35'529	42'908	79'032	5'269



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.56	121.64	845.46
	1990 - 1994	0.00	0.86	154.16 **	921.28 **
	1995 - 1999	0.05	1.32 **	214.96 **	968.55 **
	2000 - 2004	0.00	2.32 **	318.66 **	924.37 **
	2005 - 2009	0.06	3.64 **	336.84 *	814.35 **
Female	1985 - 1989				
	1990 - 1994				
	1995 - 1999				
	2000 - 2004				
	2005 - 2009				
Male	Annual trend		1.107	1.046	0.983
Female	Annual trend (3 last periods)				




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	90.36	85.03	71.27	78.86	90.77
	1990 - 1994	101.88	96.58	83.07	90.92	102.12
	1995 - 1999	118.54	114.65	104.87	109.04	120.30
	2000 - 2004	137.50	135.29	129.73	129.48	141.19
	2005 - 2009	131.85	130.23	126.23	124.75	135.37
Female	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Male	Annual trend	1.011	1.013	1.019		
Female	Annual trend (3 last periods)					
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	2000-04	2005-09
0-	0.0	0.0		
5-	0.0	0.0		
10-	0.0	0.0		
15-	0.0	0.2		
20-	0.2	0.0		
25-	0.0	0.0		
30-	0.0	0.0		
35-	0.2	0.4		
40-	1.7	3.4		
45-	11.8	16.1		
50-	73.5	77.0		
55-	216.4	215.3		
60-	450.2	485.6		
65-	725.5	726.8		
70-	906.5	859.4		
75-	906.3	786.0		
80-	942.0	787.2		
85+	991.2	790.6		
Crude rate	155.0	158.8		



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	1'474	125	27	1'626	325
	1990 - 1994	1'632	148	24	1'805	361
	1995 - 1999	1'591	146	31	1'768	354
	2000 - 2004	1'674	168	35	1'877	375
	2005 - 2009	1'708	224	42	1'974	395
Female	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Total	Total (3 last periods)	4'973	539	108	5'620	375



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	1.23	19.15	3.94	2.12
	1990 - 1994	1.39	19.79	4.40	1.83
	1995 - 1999	1.49	19.22	3.97	2.16
	2000 - 2004	1.40	20.23	4.18	2.24
	2005 - 2009	1.86	19.85	5.10 *	2.35
Female	1985 - 1989				
	1990 - 1994				
	1995 - 1999				
	2000 - 2004				
	2005 - 2009				
Male	Annual trend		1.003	1.025	1.009
Female	Annual trend (3 last periods)				




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	9.71	9.25	8.02	7.39	11.29
	1990 - 1994	10.09	9.69	8.69	7.98	11.49
	1995 - 1999	9.60	9.28	8.47	7.70	10.93
	2000 - 2004	10.39	9.88	8.56	8.28	11.55
	2005 - 2009	10.63	10.18	9.10	8.61	11.82
Female	1985 - 1989					
	1990 - 1994					
	1995 - 1999					
	2000 - 2004					
	2005 - 2009					
Male	Annual trend	1.010	1.009	1.007		
Female	Annual trend (3 last periods)					
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	2000-04	2005-09
0-	0.1	1.1		
5-	0.0	0.2		
10-	0.0	0.4		
15-	5.4	5.3		
20-	18.0	13.7		
25-	21.3	24.0		
30-	26.0	26.8		
35-	24.7	22.8		
40-	17.7	18.3		
45-	12.4	13.9		
50-	6.3	10.2		
55-	4.7	3.9		
60-	2.7	2.8		
65-	1.6	1.9		
70-	2.5	2.4		
75-	2.7	2.1		
80-	1.1	2.6		
85+	2.0	2.2		
Crude rate	10.5	10.6		



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	177	919	899	1'995	399
	1990 - 1994	196	1'086	877	2'159	432
	1995 - 1999	268	1'051	863	2'182	436
	2000 - 2004	282	1'077	1'024	2'383	477
	2005 - 2009	271	1'227	1'090	2'588	518
Female	1985 - 1989	130	487	603	1'219	244
	1990 - 1994	152	479	587	1'218	244
	1995 - 1999	141	435	660	1'235	247
	2000 - 2004	113	459	619	1'191	238
	2005 - 2009	156	455	761	1'372	274
Total	Total (3 last periods)	1'230	4'704	5'017	10'951	730



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.18	2.28	28.86	71.54
	1990 - 1994	0.65	2.12	32.21 *	65.98
	1995 - 1999	0.43	3.14 **	28.52 *	60.10
	2000 - 2004	0.78	3.12	26.82	64.79
	2005 - 2009	0.47	3.06	27.91	61.69
Female	1985 - 1989	0.65	1.43	13.83	29.16
	1990 - 1994	1.00	1.45	13.04	26.79
	1995 - 1999	1.03	1.26	11.14 *	28.14
	2000 - 2004	0.28	1.27	11.01	24.71 *
	2005 - 2009	0.96	1.45	10.11	28.50 **
Male	Annual trend		0.998	0.998	1.003
Female	Annual trend		1.014	0.990	1.001
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	12.66	12.19	10.97	9.87	14.56
	1990 - 1994	13.10	12.68	11.63	10.61	14.84
	1995 - 1999	11.99	11.91	11.69	10.08	13.84
	2000 - 2004	11.77	11.91	12.24	10.16	13.73
	2005 - 2009	10.87	11.58	13.33	9.94	13.20
Female	1985 - 1989	5.77	5.71	5.55	4.26	7.21
	1990 - 1994	5.28	5.53	6.14	4.24	6.90
	1995 - 1999	5.10	5.21	5.50	4.10	6.41
	2000 - 2004	4.65	4.69	4.76	3.68	5.75
	2005 - 2009	5.03	5.01	5.00	4.05	6.07
Male	Annual trend	0.990	0.997	1.013		
Female	Annual trend	0.999	0.996	0.991		
(3 last periods)						
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	M	M	F	F
	2000-04	2005-09	2000-04	2005-09
0-	2.2	1.2	0.6	2.4
5-	0.8	0.5	0.2	1.0
10-	0.1	0.0	0.0	0.3
15-	0.2	0.3	0.3	0.4
20-	0.0	0.4	0.5	0.8
25-	1.1	0.8	0.4	0.3
30-	0.8	0.8	0.5	0.8
35-	2.3	2.1	1.4	0.4
40-	5.3	3.8	0.9	2.0
45-	8.5	9.1	3.8	3.9
50-	14.1	13.2	6.7	5.5
55-	22.6	22.9	7.5	8.2
60-	32.8	34.9	12.4	11.6
65-	47.3	49.1	20.4	17.3
70-	60.2	56.4	21.0	26.9
75-	72.8	65.9	30.7	27.8
80-	62.4	73.3	26.1	32.9
85+	63.6	51.1	20.9	27.2
Crude rate	13.4	13.9	6.4	7.1



Number of new cases - three last periods

Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	235	1'823	2'153	4'211	842
	1990 - 1994	218	1'860	2'495	4'573	915
	1995 - 1999	180	1'697	2'523	4'401	880
	2000 - 2004	115	1'522	2'451	4'088	818
	2005 - 2009	132	1'580	2'714	4'426	885
Female	1985 - 1989	49	428	895	1'371	274
	1990 - 1994	65	540	1'021	1'626	325
	1995 - 1999	49	471	960	1'480	296
	2000 - 2004	43	367	1'003	1'413	283
	2005 - 2009	41	423	980	1'444	289
Total	Total (3 last periods)	560	6'061	10'631	17'251	1'150




Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.04	3.13	57.27	171.28
	1990 - 1994	0.00	2.74	55.15	187.70 **
	1995 - 1999	0.00	2.27 *	46.03 **	175.76 *
	2000 - 2004	0.05	1.41 **	37.90 **	155.05 **
	2005 - 2009	0.02	1.59	35.95 *	153.55
Female	1985 - 1989	0.06	0.63	12.14	43.29
	1990 - 1994	0.00	0.84	14.69 **	46.60
	1995 - 1999	0.00	0.62	12.07 **	40.93 **
	2000 - 2004	0.00	0.54	8.79 **	40.01
	2005 - 2009	0.00	0.50	9.41	36.72 *
Male	Annual trend		0.965	0.976	0.987
Female	Annual trend		0.980	0.975	0.989


(3 last periods)



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	26.55	25.75	23.68	22.43	29.24
	1990 - 1994	26.58	25.96	24.40	23.00	29.00
	1995 - 1999	22.91	23.19	23.91	20.58	25.76
	2000 - 2004	18.40	19.57	22.46	17.32	21.85
	2005 - 2009	17.15	18.67	22.45	16.57	20.61
Female	1985 - 1989	6.16	5.64	4.34	4.38	7.01
	1990 - 1994	6.99	6.48	5.21	5.23	7.78
	1995 - 1999	5.69	5.45	4.85	4.39	6.56
	2000 - 2004	4.62	4.71	4.91	3.77	5.70
	2005 - 2009	4.44	4.52	4.71	3.63	5.43
Male	Annual trend	0.971	0.979	0.994		
Female	Annual trend	0.975	0.981	0.997		

(3 last periods)




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.2	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.1	0.0	0.0
20-	0.0	0.0	0.0	0.0
25-	0.4	0.0	0.0	0.1
30-	0.4	0.4	0.2	0.3
35-	0.7	0.8	0.3	0.1
40-	1.3	1.8	0.8	0.9
45-	5.6	5.7	1.8	1.3
50-	14.5	11.3	3.4	4.6
55-	28.3	25.2	5.4	8.5
60-	51.4	44.4	12.4	11.2
65-	75.3	79.3	17.2	15.2
70-	116.8	109.4	30.2	23.9
75-	161.9	152.6	35.3	33.0
80-	183.9	197.9	48.5	40.5
85+	209.5	211.5	52.8	55.4
Crude rate	23.0	23.8	7.6	7.5



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	27	194	219	439	88
	1990 - 1994	34	143	237	414	83
	1995 - 1999	18	186	198	402	80
	2000 - 2004	26	184	260	470	94
	2005 - 2009	15	160	289	465	93
Female	1985 - 1989	14	161	169	344	69
	1990 - 1994	8	123	194	326	65
	1995 - 1999	13	104	187	303	61
	2000 - 2004	7	82	198	287	57
	2005 - 2009	2	64	209	275	55
Total	Total (3 last periods)	81	780	1'341	2'202	147



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.36	6.09	17.39
	1990 - 1994	0.00	0.43	4.24 **	17.84
	1995 - 1999	0.00	0.22 *	5.04	13.80 **
	2000 - 2004	0.00	0.33	4.59	16.44
	2005 - 2009	0.00	0.18	3.64 *	16.38
Female	1985 - 1989	0.00	0.19	4.57	8.17
	1990 - 1994	0.00	0.11	3.35 **	8.87
	1995 - 1999	0.00	0.16	2.66	7.96
	2000 - 2004	0.00	0.08	1.98	7.90
	2005 - 2009	0.00	0.03	1.42 *	7.82
Male	Annual trend		0.980	0.968	1.017
Female	Annual trend		0.829	0.939	0.998
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	2.61	2.68	2.86	1.60	3.90
	1990 - 1994	2.34	2.29	2.15	1.44	3.24
	1995 - 1999	2.10	2.17	2.33	1.40	3.02
	2000 - 2004	2.26	2.25	2.21	1.52	3.05
	2005 - 2009	1.77	1.94	2.37	1.27	2.60
Female	1985 - 1989	1.77	1.61	1.19	0.91	2.37
	1990 - 1994	1.47	1.37	1.11	0.80	2.00
	1995 - 1999	1.18	1.18	1.17	0.69	1.74
	2000 - 2004	1.08	0.99	0.75	0.58	1.44
	2005 - 2009	0.75	0.81	0.94	0.44	1.19
Male	Annual trend	0.983	0.989	1.002		
Female	Annual trend	0.956	0.963	0.978		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M	M	F	F
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.0	0.0	0.0
20-	0.0	0.0	0.0	0.0
25-	0.0	0.0	0.0	0.0
30-	0.4	0.0	0.0	0.0
35-	0.1	0.2	0.0	0.1
40-	0.8	0.4	0.0	0.1
45-	0.5	0.4	0.5	0.0
50-	1.5	1.3	0.4	0.2
55-	2.9	2.6	2.1	1.1
60-	5.3	5.4	2.1	2.0
65-	11.6	6.5	3.9	2.8
70-	13.9	11.8	7.0	5.5
75-	16.2	20.6	7.3	7.2
80-	24.4	19.4	11.4	10.7
85+	12.9	15.9	6.6	8.9
Crude rate	2.6	2.5	1.5	1.4



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	49	63	46	158	32
	1990 - 1994	52	66	73	190	38
	1995 - 1999	39	59	55	153	31
	2000 - 2004	31	63	77	171	34
	2005 - 2009	35	89	70	194	39
Female	1985 - 1989	33	85	67	185	37
	1990 - 1994	50	62	53	165	33
	1995 - 1999	54	59	44	156	31
	2000 - 2004	31	63	42	136	27
	2005 - 2009	23	51	62	136	27
Total	Total (3 last periods)	213	385	350	947	63



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.22	0.54	1.97	3.64
	1990 - 1994	0.72	0.28 **	1.95	5.48 *
	1995 - 1999	0.56	0.18	1.60	3.85
	2000 - 2004	0.30	0.23	1.58	4.87
	2005 - 2009	0.37	0.24	2.03	3.98
Female	1985 - 1989	0.31	0.28	2.41	3.24
	1990 - 1994	0.39	0.45	1.68 *	2.41
	1995 - 1999	0.51	0.42	1.51	1.86
	2000 - 2004	0.20	0.29	1.52	1.68
	2005 - 2009	0.19	0.20	1.14	2.31
Male	Annual trend		1.026	1.024	1.003
Female	Annual trend		0.927	0.973	1.022
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	1.03	0.97	0.82	0.34	1.70
	1990 - 1994	1.06	1.12	1.26	0.50	1.85
	1995 - 1999	0.83	0.85	0.90	0.37	1.43
	2000 - 2004	0.89	0.87	0.83	0.41	1.41
	2005 - 2009	1.00	0.92	0.73	0.47	1.41
Female	1985 - 1989	0.93	0.98	1.08	0.38	1.70
	1990 - 1994	0.77	0.85	1.04	0.33	1.47
	1995 - 1999	0.81	0.80	0.78	0.36	1.34
	2000 - 2004	0.68	0.64	0.53	0.25	1.09
	2005 - 2009	0.64	0.55	0.34	0.24	0.94
Male	Annual trend	1.019	1.008	0.979		
Female	Annual trend	0.977	0.963	0.920		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.8	1.1	0.8	0.6
5-	0.2	0.2	0.1	0.1
10-	0.2	0.2	0.0	0.0
15-	0.0	0.0	0.0	0.1
20-	0.4	0.0	0.0	0.0
25-	0.0	0.0	0.0	0.1
30-	0.1	0.3	0.4	0.5
35-	0.2	0.0	0.0	0.2
40-	0.3	0.5	0.4	0.2
45-	0.3	0.5	0.9	0.2
50-	0.9	1.4	1.1	0.9
55-	1.4	2.4	1.3	1.4
60-	1.8	2.1	1.9	1.5
65-	2.7	2.4	2.0	0.8
70-	5.7	3.1	2.4	2.9
75-	3.7	3.9	0.9	1.8
80-	6.3	4.0	1.7	2.0
85+	3.0	6.5	1.7	2.4
Crude rate	1.0	1.0	0.7	0.7



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	470	484	297	1'250	250
	1990 - 1994	452	499	290	1'241	248
	1995 - 1999	461	614	365	1'439	288
	2000 - 2004	477	650	346	1'473	295
	2005 - 2009	475	723	388	1'586	317
Female	1985 - 1989	301	413	251	965	193
	1990 - 1994	300	368	289	957	191
	1995 - 1999	256	434	318	1'008	202
	2000 - 2004	298	419	370	1'087	217
	2005 - 2009	360	556	377	1'292	258
Total	Total (3 last periods)	2'327	3'395	2'163	7'886	526



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	2.71	4.83	15.19	23.61
	1990 - 1994	2.36	4.46	14.79	21.85
	1995 - 1999	2.35	4.54	16.65 *	25.40 *
	2000 - 2004	2.19	4.82	16.18	21.88
	2005 - 2009	2.13	4.69	16.46	21.95
Female	1985 - 1989	1.85	3.13	11.73	12.15
	1990 - 1994	1.58	3.06	10.03 *	13.19
	1995 - 1999	1.38	2.55 *	11.12	13.55
	2000 - 2004	1.59	2.95	10.05	14.76
	2005 - 2009	1.65	3.61 *	12.36 **	14.11
Male	Annual trend		1.003	0.999	0.985
Female	Annual trend		1.036	1.011	1.004
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	7.92	7.82	7.52	6.01	9.85
	1990 - 1994	7.43	7.33	7.10	5.76	9.03
	1995 - 1999	8.20	8.00	7.50	6.50	9.59
	2000 - 2004	7.58	7.69	7.97	6.27	9.21
	2005 - 2009	7.92	7.63	6.92	6.31	9.00
Female	1985 - 1989	5.45	5.31	4.96	3.90	6.89
	1990 - 1994	4.92	4.88	4.78	3.66	6.18
	1995 - 1999	4.85	4.85	4.85	3.73	6.03
	2000 - 2004	4.90	4.91	4.93	3.83	6.06
	2005 - 2009	5.77	5.69	5.49	4.61	6.89
Male	Annual trend	0.997	0.995	0.992		
Female	Annual trend	1.018	1.016	1.012		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	2.6	2.6	1.8	2.0
5-	3.1	3.1	2.2	2.2
10-	1.6	1.5	0.9	1.1
15-	1.6	1.5	1.5	1.4
20-	2.0	2.5	1.5	2.4
25-	2.8	2.1	1.9	2.0
30-	4.5	3.4	2.7	4.5
35-	4.1	5.1	3.3	2.7
40-	5.9	5.1	3.8	3.1
45-	9.0	8.8	4.0	6.6
50-	10.3	11.7	8.1	7.6
55-	16.2	14.7	9.9	12.7
60-	17.6	16.7	8.7	14.0
65-	24.2	26.1	14.6	16.6
70-	23.2	23.1	15.5	15.0
75-	23.9	21.6	17.2	17.4
80-	20.5	23.8	15.6	12.2
85+	15.5	17.1	9.6	10.8
Crude rate	8.3	8.5	5.8	6.7



Number of new cases - three last periods

Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	119	168	144	431	86
	1990 - 1994	174	167	115	456	91
	1995 - 1999	190	144	126	460	92
	2000 - 2004	209	194	137	540	108
	2005 - 2009	318	292	132	743	149
Female	1985 - 1989	423	281	354	1'059	212
	1990 - 1994	478	334	334	1'146	229
	1995 - 1999	621	421	326	1'368	274
	2000 - 2004	755	490	299	1'544	309
	2005 - 2009	985	711	331	2'027	405
Total	Total (3 last periods)	3'078	2'252	1'352	6'682	445




Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.18	1.50	5.26	11.46
	1990 - 1994	0.16	2.10 **	4.95	8.63 *
	1995 - 1999	0.16	2.30	3.90 *	8.81
	2000 - 2004	0.22	2.51	4.82	8.67
	2005 - 2009	0.16	3.79 **	6.65 **	7.46
Female	1985 - 1989	0.57	5.49	7.98	17.14
	1990 - 1994	0.42	5.92	9.08	15.26
	1995 - 1999	0.38	7.69 **	10.78 *	13.90
	2000 - 2004	0.48	9.27 **	11.74	11.94
	2005 - 2009	0.58	11.80 **	15.82 **	12.40
Male	Annual trend		1.051	1.055	0.984
Female	Annual trend		1.044	1.039	0.989

(3 last periods)




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	2.98	2.67	1.84	1.68	3.80
	1990 - 1994	3.01	2.63	1.69	1.77	3.59
	1995 - 1999	2.46	2.45	2.42	1.64	3.34
	2000 - 2004	2.58	2.76	3.20	1.91	3.69
	2005 - 2009	3.34	3.55	4.09	2.65	4.53
Female	1985 - 1989	5.58	5.31	4.61	3.91	6.76
	1990 - 1994	5.84	5.61	5.04	4.35	6.96
	1995 - 1999	6.81	6.59	6.07	5.29	7.94
	2000 - 2004	7.09	7.31	7.84	5.97	8.73
	2005 - 2009	8.83	9.23	10.18	7.74	10.68
Male	Annual trend	1.031	1.038	1.054		
Female	Annual trend	1.026	1.034	1.053		


(3 last periods)

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.2	0.2	0.2	0.6
15-	0.6	0.4	1.7	1.5
20-	1.1	1.0	3.7	3.5
25-	2.4	3.6	6.6	7.2
30-	2.8	3.5	10.0	10.6
35-	2.1	3.8	9.6	15.3
40-	2.7	4.9	11.1	14.6
45-	3.7	5.2	13.1	16.5
50-	3.9	4.6	10.2	17.0
55-	5.7	5.8	14.0	14.7
60-	3.1	9.3	11.3	14.4
65-	7.1	7.7	11.5	17.4
70-	9.9	7.6	10.9	13.2
75-	7.0	8.7	12.2	13.0
80-	9.3	6.0	13.0	10.8
85+	8.2	6.6	12.1	12.2
Crude rate	3.0	4.0	8.3	10.5



Number of new cases - three last periods

Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	351	130	76	557	111
	1990 - 1994	406	81	46	533	107
	1995 - 1999	363	94	78	535	107
	2000 - 2004	394	142	77	612	122
	2005 - 2009	421	166	80	667	133
Female	1985 - 1989	247	62	75	385	77
	1990 - 1994	266	77	72	415	83
	1995 - 1999	287	59	70	416	83
	2000 - 2004	320	87	66	473	95
	2005 - 2009	362	78	70	510	102
Total	Total (3 last periods)	2'147	626	440	3'212	214




Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	1.15	4.09	4.07	6.05
	1990 - 1994	1.38	4.39	2.40 **	3.45 **
	1995 - 1999	1.92	3.54 **	2.56	5.40 *
	2000 - 2004	1.40	4.19 *	3.53 *	4.85
	2005 - 2009	1.13	4.55	3.78	4.51
Female	1985 - 1989	1.18	2.76	1.77	3.65
	1990 - 1994	1.86	2.48	2.11	3.29
	1995 - 1999	1.63	2.81	1.50	3.00
	2000 - 2004	1.68	3.19	2.09 *	2.63
	2005 - 2009	2.03	3.46	1.73	2.61
Male	Annual trend		1.026	1.040	0.982
Female	Annual trend		1.021	1.014	0.986


(3 last periods)



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	3.33	3.33	3.34	2.17	4.64
	1990 - 1994	3.13	3.01	2.70	2.05	4.08
	1995 - 1999	2.83	3.00	3.42	2.07	4.03
	2000 - 2004	3.29	3.32	3.37	2.37	4.34
	2005 - 2009	3.41	3.41	3.40	2.52	4.38
Female	1985 - 1989	2.04	2.04	2.03	1.16	3.00
	1990 - 1994	2.21	2.23	2.28	1.40	3.16
	1995 - 1999	2.17	2.22	2.34	1.42	3.07
	2000 - 2004	2.43	2.49	2.60	1.67	3.37
	2005 - 2009	2.40	2.60	3.07	1.83	3.49
Male	Annual trend	1.019	1.013	0.999		
Female	Annual trend	1.010	1.016	1.028		

(3 last periods)




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	0.2	0.0	0.1	0.2
5-	0.5	0.2	0.0	0.0
10-	0.7	1.3	1.3	1.7
15-	4.0	2.7	5.1	5.6
20-	7.3	7.2	6.4	5.8
25-	4.3	5.2	3.7	4.4
30-	4.9	5.5	3.4	4.3
35-	3.3	3.7	2.6	2.3
40-	3.7	3.7	2.7	2.8
45-	2.4	3.0	1.0	2.1
50-	4.1	3.1	1.9	0.8
55-	2.7	4.1	1.5	2.1
60-	2.9	4.3	1.7	1.7
65-	4.7	3.6	3.5	2.7
70-	5.2	3.8	1.8	2.6
75-	5.7	5.2	4.2	3.4
80-	4.1	4.4	1.9	3.3
85+	3.1	5.2	2.5	0.9
Crude rate	3.4	3.6	2.5	2.6



Number of new cases - three last periods

Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	567	900	1'091	2'557	511
	1990 - 1994	779	1'090	1'156	3'025	605
	1995 - 1999	688	1'268	1'318	3'273	655
	2000 - 2004	608	1'343	1'430	3'381	676
	2005 - 2009	666	1'581	1'652	3'899	780
Female	1985 - 1989	303	751	1'188	2'242	448
	1990 - 1994	415	858	1'297	2'570	514
	1995 - 1999	488	1'044	1'422	2'954	591
	2000 - 2004	440	1'016	1'557	3'013	603
	2005 - 2009	476	1'234	1'729	3'439	688
Total	Total (3 last periods)	3'365	7'485	9'109	19'960	1'331




Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	1.82	6.62	28.27	86.77
	1990 - 1994	2.15	8.68 **	32.31 **	86.96
	1995 - 1999	1.83	7.67 **	34.38	91.80
	2000 - 2004	2.16	6.47 **	33.44	90.48
	2005 - 2009	1.61	7.28	35.96	93.50
Female	1985 - 1989	0.99	3.62	21.32	57.48
	1990 - 1994	0.99	4.83 **	23.36	59.22
	1995 - 1999	1.08	5.65 *	26.75 **	60.63
	2000 - 2004	1.13	4.97 *	24.36 *	62.13
	2005 - 2009	1.15	5.28	27.44 *	64.80
Male	Annual trend		0.995	1.004	1.002
Female	Annual trend		0.993	1.003	1.007


(3 last periods)



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	15.32	15.61	16.38	12.89	18.37
	1990 - 1994	16.98	17.27	17.97	14.81	19.81
	1995 - 1999	17.16	17.56	18.54	15.28	19.85
	2000 - 2004	16.23	16.83	18.31	14.75	19.00
	2005 - 2009	17.58	17.52	17.37	15.49	19.46
Female	1985 - 1989	10.39	10.19	9.69	8.25	12.11
	1990 - 1994	11.35	11.25	11.01	9.47	13.09
	1995 - 1999	12.73	12.58	12.21	10.85	14.38
	2000 - 2004	11.84	11.83	11.79	10.25	13.50
	2005 - 2009	12.57	12.59	12.68	10.99	14.17
Male	Annual trend	1.002	1.000	0.994		
Female	Annual trend	0.999	1.000	1.004		

(3 last periods)




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	1.4	1.8	0.6	0.2
5-	2.2	1.3	0.4	1.8
10-	2.0	1.0	1.8	0.4
15-	3.0	2.3	1.5	2.1
20-	3.3	2.9	1.6	2.2
25-	3.0	3.9	1.8	2.1
30-	3.2	3.9	2.7	3.1
35-	7.4	8.9	5.8	4.9
40-	8.6	9.3	7.1	6.1
45-	12.1	12.4	9.8	11.7
50-	18.3	24.5	11.2	16.2
55-	30.4	30.5	24.2	19.3
60-	37.9	39.2	30.4	35.0
65-	58.0	57.7	36.8	44.8
70-	76.6	72.8	53.0	52.6
75-	96.1	94.3	71.0	67.3
80-	101.2	117.9	68.4	80.0
85+	102.9	113.1	57.8	63.3
Crude rate	19.0	21.0	16.2	17.8



Number of new cases - three last periods

Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	64	317	439	820	164
	1990 - 1994	82	411	497	990	198
	1995 - 1999	73	423	575	1'071	214
	2000 - 2004	102	511	594	1'207	241
	2005 - 2009	93	562	747	1'402	280
Female	1985 - 1989	37	301	478	816	163
	1990 - 1994	47	299	582	928	186
	1995 - 1999	56	339	589	985	197
	2000 - 2004	53	369	685	1'107	221
	2005 - 2009	65	363	664	1'092	218
Total	Total (3 last periods)	443	2'568	3'854	6'864	458




Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.00	0.86	9.95	34.92
	1990 - 1994	0.00	1.03	12.18 **	37.41
	1995 - 1999	0.00	0.92	11.47	40.04
	2000 - 2004	0.00	1.28	12.73	37.57
	2005 - 2009	0.00	1.14	12.77	42.30 *
Female	1985 - 1989	0.00	0.50	8.55	23.13
	1990 - 1994	0.00	0.61	8.13	26.57 *
	1995 - 1999	0.06	0.69	8.69	25.11
	2000 - 2004	0.00	0.67	8.85	27.32
	2005 - 2009	0.00	0.79	8.08	24.88
Male	Annual trend		1.022	1.011	1.005
Female	Annual trend		1.014	0.993	0.999


(3 last periods)



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	4.87	5.02	5.41	3.50	6.63
	1990 - 1994	5.89	5.68	5.13	4.32	7.13
	1995 - 1999	6.08	5.68	4.70	4.49	7.00
	2000 - 2004	5.95	5.88	5.71	4.70	7.15
	2005 - 2009	6.36	6.13	5.52	5.10	7.38
Female	1985 - 1989	3.63	3.59	3.48	2.48	4.76
	1990 - 1994	3.67	3.74	3.93	2.75	4.81
	1995 - 1999	4.06	3.85	3.37	2.97	4.79
	2000 - 2004	4.14	4.04	3.80	3.16	4.99
	2005 - 2009	3.73	3.73	3.71	2.92	4.59
Male	Annual trend	1.005	1.008	1.016		
Female	Annual trend	0.992	0.997	1.010		

(3 last periods)




Age specific rates - last periods compared

Age	M		F	
	2000-04	2005-09	2000-04	2005-09
0-	0.0	0.0	0.0	0.0
5-	0.0	0.0	0.0	0.0
10-	0.0	0.0	0.0	0.0
15-	0.0	0.0	0.0	0.0
20-	0.0	0.2	0.2	0.0
25-	0.1	0.0	0.1	0.0
30-	0.3	0.0	0.0	0.5
35-	0.9	0.5	0.4	0.9
40-	2.3	2.2	1.2	0.8
45-	3.7	3.2	2.1	2.2
50-	6.7	7.4	5.0	4.0
55-	12.5	12.0	8.5	5.9
60-	14.0	12.7	9.3	8.6
65-	21.5	22.4	14.4	16.0
70-	30.6	33.8	24.6	21.1
75-	41.3	46.1	26.5	29.0
80-	44.1	56.4	39.8	29.6
85+	40.1	37.6	20.1	20.4
Crude rate	6.8	7.6	5.9	5.7



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	498	741	965	2'205	441
	1990 - 1994	514	750	939	2'203	441
	1995 - 1999	567	757	1'008	2'331	466
	2000 - 2004	542	847	1'156	2'545	509
	2005 - 2009	518	951	1'178	2'647	529
Female	1985 - 1989	318	493	826	1'638	328
	1990 - 1994	324	464	806	1'593	319
	1995 - 1999	352	491	853	1'697	339
	2000 - 2004	322	589	1'060	1'971	394
	2005 - 2009	393	602	992	1'987	397
Total	Total (3 last periods)	2'694	4'237	6'248	13'179	879



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	4.72	4.10	23.29	76.78
	1990 - 1994	5.37	3.70	22.23	70.65 *
	1995 - 1999	4.82	4.56 *	20.52	70.20
	2000 - 2004	5.15	4.06	21.10	73.11
	2005 - 2009	4.20	4.16	21.63	66.68 *
Female	1985 - 1989	3.21	2.65	14.01	39.96
	1990 - 1994	3.43	2.44	12.62	36.78 *
	1995 - 1999	3.42	2.72	12.59	36.38
	2000 - 2004	2.91	2.58	14.14 *	42.29 **
	2005 - 2009	3.19	3.27 *	13.38	37.18 **
Male	Annual trend		0.991	1.005	0.995
Female	Annual trend		1.018	1.006	1.002
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	13.85	13.65	13.12	11.24	16.28
	1990 - 1994	12.98	12.87	12.55	10.75	15.07
	1995 - 1999	12.53	12.71	13.16	10.84	14.75
	2000 - 2004	13.00	12.93	12.75	11.10	14.84
	2005 - 2009	12.63	12.25	11.30	10.57	13.95
Female	1985 - 1989	7.94	7.81	7.43	6.13	9.59
	1990 - 1994	7.31	7.12	6.65	5.70	8.62
	1995 - 1999	7.26	7.25	7.21	5.93	8.66
	2000 - 2004	7.64	7.73	7.95	6.39	9.12
	2005 - 2009	7.82	7.70	7.41	6.43	9.04
Male	Annual trend	1.001	0.996	0.985		
Female	Annual trend	1.007	1.006	1.003		
(3 last periods)						
SA	Alemannic Switzerland					
CH	Switzerland					
SL	Latin Switzerland					




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	9.2	8.8	6.7	6.0
5-	5.7	2.6	3.4	2.3
10-	3.3	3.2	1.0	3.4
15-	2.8	2.6	1.0	1.4
20-	2.3	2.4	2.3	1.3
25-	2.2	3.6	1.5	1.9
30-	3.1	4.0	1.5	3.1
35-	3.4	3.6	2.3	3.5
40-	4.9	4.0	3.8	3.1
45-	7.9	7.0	3.8	5.8
50-	11.0	12.8	6.3	7.2
55-	18.7	15.9	11.8	13.0
60-	26.3	26.9	18.5	14.1
65-	35.3	36.8	23.6	21.7
70-	60.4	51.8	28.2	32.0
75-	67.7	62.8	36.9	40.9
80-	86.1	74.8	55.9	36.2
85+	103.4	103.0	57.4	40.7
Crude rate	14.3	14.3	10.6	10.3



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	267	414	538	1'219	244
	1990 - 1994	261	416	488	1'165	233
	1995 - 1999	286	426	553	1'266	253
	2000 - 2004	257	516	636	1'409	282
	2005 - 2009	265	561	630	1'456	291
Female	1985 - 1989	162	258	391	811	162
	1990 - 1994	158	216	381	754	151
	1995 - 1999	145	236	442	823	165
	2000 - 2004	136	296	578	1'010	202
	2005 - 2009	174	306	532	1'011	202
Total	Total (3 last periods)	1'263	2'342	3'370	6'975	465



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	3.64	1.59	13.00	42.83
	1990 - 1994	3.85	1.30	12.33	36.70 **
	1995 - 1999	3.52	1.72 *	11.56	38.54
	2000 - 2004	3.50	1.37 *	12.85	40.21
	2005 - 2009	3.00	1.70	12.77	35.63 *
Female	1985 - 1989	2.68	0.78	7.33	18.92
	1990 - 1994	2.70	0.67	5.87 *	17.37
	1995 - 1999	2.37	0.63	6.04	18.83
	2000 - 2004	1.99	0.70	7.11 *	23.04 **
	2005 - 2009	2.52	0.90	6.80	19.93 *
Male	Annual trend		0.998	1.010	0.992
Female	Annual trend		1.036	1.012	1.006
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	8.01	7.66	6.71	5.83	9.59
	1990 - 1994	6.87	6.93	7.02	5.36	8.59
	1995 - 1999	6.96	7.00	7.08	5.60	8.52
	2000 - 2004	7.28	7.25	7.18	5.87	8.71
	2005 - 2009	7.06	6.81	6.19	5.55	8.09
Female	1985 - 1989	4.19	4.03	3.62	2.83	5.36
	1990 - 1994	3.56	3.47	3.26	2.47	4.56
	1995 - 1999	3.50	3.54	3.64	2.61	4.57
	2000 - 2004	3.90	3.88	3.83	2.93	4.88
	2005 - 2009	4.00	3.98	3.92	3.03	4.96
Male	Annual trend	1.001	0.997	0.987		
Female	Annual trend	1.013	1.012	1.007		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	6.4	6.7	4.2	5.2
5-	3.9	1.9	2.8	2.1
10-	2.2	2.3	0.9	2.7
15-	1.8	1.6	0.4	0.5
20-	0.8	0.9	0.5	0.7
25-	0.8	0.9	0.4	0.5
30-	0.9	1.0	0.2	0.7
35-	0.8	1.4	0.6	0.4
40-	1.6	1.8	1.5	1.3
45-	3.4	3.8	1.0	1.6
50-	6.2	7.6	3.1	3.0
55-	11.4	8.1	5.3	6.8
60-	17.0	15.7	10.4	7.0
65-	21.3	23.8	11.7	12.0
70-	33.7	29.4	13.8	18.5
75-	34.8	31.8	19.7	23.4
80-	46.0	41.4	32.0	17.2
85+	62.6	52.1	32.7	20.4
Crude rate	7.9	7.8	5.4	5.2



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	222	302	393	918	184
	1990 - 1994	248	317	425	990	198
	1995 - 1999	263	328	421	1'013	203
	2000 - 2004	251	321	481	1'054	211
	2005 - 2009	241	375	505	1'121	224
Female	1985 - 1989	154	228	401	783	157
	1990 - 1994	157	235	390	782	156
	1995 - 1999	193	254	370	817	163
	2000 - 2004	172	283	446	901	180
	2005 - 2009	214	289	413	916	183
Total	Total (3 last periods)	1'334	1'851	2'636	5'821	388



Crude rates by age-group & mean annual trends

*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed


Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	1.04	2.42	9.49	31.30
	1990 - 1994	1.43	2.37	9.41	31.96
	1995 - 1999	1.05	2.76	8.89	29.36
	2000 - 2004	0.98	2.62	8.00	30.45
	2005 - 2009	1.02	2.41	8.53	28.57
Female	1985 - 1989	0.47	1.86	6.48	19.38
	1990 - 1994	0.55	1.74	6.41	17.78
	1995 - 1999	0.83	2.03	6.52	15.76
	2000 - 2004	0.65	1.84	6.79	17.78
	2005 - 2009	0.56	2.36 *	6.43	15.46 *
Male	Annual trend		0.987	0.996	0.997
Female	Annual trend		1.015	0.999	0.998
(3 last periods)					



European standardized rate by period


Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	5.63	5.60	5.54	4.11	7.33
	1990 - 1994	5.88	5.66	5.12	4.30	7.11
	1995 - 1999	5.35	5.43	5.62	4.22	6.77
	2000 - 2004	5.20	5.22	5.26	4.08	6.44
	2005 - 2009	5.22	5.12	4.86	4.07	6.25
Female	1985 - 1989	3.65	3.60	3.46	2.47	4.80
	1990 - 1994	3.50	3.41	3.18	2.45	4.44
	1995 - 1999	3.52	3.50	3.43	2.60	4.47
	2000 - 2004	3.55	3.61	3.74	2.71	4.57
	2005 - 2009	3.64	3.55	3.35	2.73	4.45
Male	Annual trend	0.998	0.994	0.986		
Female	Annual trend	1.003	1.001	0.998		
(3 last periods)						

SA Alemannic Switzerland
CH Switzerland
SL Latin Switzerland




Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	1.3	1.9	1.8	0.6
5-	0.7	0.7	0.1	0.0
10-	0.9	0.5	0.1	0.6
15-	1.0	1.1	0.7	0.9
20-	1.5	1.4	1.6	0.7
25-	1.5	2.6	1.2	1.3
30-	2.3	3.0	1.3	2.4
35-	2.7	2.2	1.8	3.1
40-	2.9	2.0	2.2	1.8
45-	4.5	3.2	2.8	4.3
50-	4.6	5.0	3.2	4.2
55-	7.0	7.1	6.4	6.1
60-	9.1	11.2	8.2	7.1
65-	13.9	12.6	10.9	9.1
70-	25.9	22.1	13.6	13.1
75-	30.5	29.9	17.0	16.6
80-	35.6	31.8	20.6	16.6
85+	36.1	38.6	22.3	16.2
Crude rate	5.9	6.0	4.8	4.7



Number of new cases - three last periods


Gender	Period	Age group			Total	Yearly average
		0-49	50-69	70+		
Male	1985 - 1989	9	26	33	68	14
	1990 - 1994	6	17	26	49	10
	1995 - 1999	17	2	33	53	11
	2000 - 2004	34	10	39	82	16
	2005 - 2009	12	14	44	70	14
Female	1985 - 1989	2	7	34	44	9
	1990 - 1994	9	13	36	57	11
	1995 - 1999	13	1	42	56	11
	2000 - 2004	14	10	37	61	12
	2005 - 2009	5	6	48	60	12
Total	Total (3 last periods)	96	44	242	382	25



Crude rates by age-group & mean annual trends


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

Gender	Period	0-19	20-49	50-69	70+
Male	1985 - 1989	0.04	0.10	0.80	2.65
	1990 - 1994	0.09	0.03	0.50	1.99
	1995 - 1999	0.26	0.08	0.07 **	2.30
	2000 - 2004	0.67	0.07	0.24	2.45
	2005 - 2009	0.19	0.05	0.33	2.48
Female	1985 - 1989	0.06	0.00	0.20	1.67
	1990 - 1994	0.17	0.03	0.34	1.63
	1995 - 1999	0.22	0.05	0.03 **	1.78
	2000 - 2004	0.27	0.04	0.24 *	1.47
	2005 - 2009	0.11	0.01	0.14	1.79
Male	Annual trend		0.961	1.175	1.008
Female	Annual trend		0.864	1.166	1.000
(3 last periods)					




European standardized rate by period

Gender	Period	SA	CH	SL	C.I. 95% of CH	
Male	1985 - 1989	0.20	0.39	0.87	0.00	0.98
	1990 - 1994	0.22	0.27	0.38	0.00	0.67
	1995 - 1999	0.22	0.28	0.44	0.01	0.63
	2000 - 2004	0.52	0.45	0.30	0.14	0.85
	2005 - 2009	0.34	0.32	0.24	0.08	0.63
Female	1985 - 1989	0.11	0.17	0.33	0.00	0.49
	1990 - 1994	0.25	0.24	0.21	0.01	0.54
	1995 - 1999	0.23	0.20	0.13	0.02	0.45
	2000 - 2004	0.19	0.24	0.37	0.02	0.52
	2005 - 2009	0.18	0.17	0.13	0.02	0.38
Male	Annual trend	1.044	1.013	0.941		
Female	Annual trend	0.976	0.984	1.000		
(3 last periods)						



Age specific rates - last periods compared

Age	M 2000-04	M 2005-09	F 2000-04	F 2005-09
0-	1.6	0.2	0.7	0.2
5-	1.0	0.1	0.4	0.2
10-	0.2	0.4	0.0	0.0
15-	0.0	0.0	0.0	0.0
20-	0.0	0.0	0.1	0.0
25-	0.0	0.1	0.0	0.1
30-	0.0	0.0	0.0	0.0
35-	0.0	0.0	0.0	0.0
40-	0.4	0.2	0.2	0.0
45-	0.0	0.0	0.0	0.0
50-	0.2	0.2	0.0	0.0
55-	0.4	0.7	0.1	0.1
60-	0.2	0.1	0.0	0.0
65-	0.2	0.4	1.0	0.6
70-	0.8	0.3	0.9	0.4
75-	2.4	1.1	0.2	0.9
80-	4.5	1.5	3.3	2.4
85+	4.7	12.3	2.4	4.2
Crude rate	0.5	0.4	0.3	0.3



Incidence

END